CATEGORY 3, TYPE I - DEDICATED ALERT TRANSPORT BSA	AM	BA	BS	NX	PB	SWB	Qwest
GENERIC NAME OF ONA SERVICE							19
Route Diversity		BSE		BSE			
Verify Integrity of Subscriber Lines				BSA	BSE	n.	

CATEGORY 3, TYPE J - DEDICATED DERIVED CHANNEL BSA	AM	ВА	BS	NX	PB	SWB	Qwest
GENERIC NAME OF ONA SERVICE							il
Data Over Voice (DOV) Service				BSA			BSA
Route Diversity	_			BSE		BSE	

CATEGORY 3, TYPE K - DEDICATED DIGITAL (64 Kbps) BSA	AM	BA	BS	NX*	PB	SWB	Qwest
GENERIC NAME OF ONA SERVICE							
Route Diversity	BSE						

NYNEX note: NYNEX offers 64 Kbps service associated with the Dedicated High Capacity Digital (1.544 Mbps) BSA.

NX' PВ CATEGORY 4 - DEDICATED NETWORK AM BA BS SWB **Qwest** ACCESS LINK BSA GENERIC NAME OF ONA SERVICE Calling Directory Number Delivery - via BCLID BSE Make Busy Key Message Desk (SMDI) BSE BSE BSE BSE BSE BSE BSE Message Desk (SMDI) - Expanded BSE BSE BSE **BSE BSE** BSE BSE BSE BSE Message Waiting Indicator - Activation (Audible) Message Waiting Indicator - Activation (Audible) -BSE BSE Expanded BSE Message Waiting Indicator - Activation (Visual) BSE BSE BSE BSE Network Reconfiguration BSE BSE BSE BSE BSE BSE BSE BSE Route Diversity BSE BSE Verify Integrity of Subscriber Lines

...

NYNEX note: NYNEX offers dedicated channels for specific network information or network control information as part of the appropriate BSA or BSE that provides the specific capability.

Common Region Specifies   Pg	Service Name (Generic)	1	_	ħ a	na de	aab		1		tall A	11241		_	_			-	410-	th				N	VIJE	v 1	Pacifi	-1		SWIE	¥		_		_				_	une (				_		
Model Service   Model   Mode		·	<u> </u>		_	_	1.54	DE.		_			114		I.e.	Io.	-			1	0.0				_					_	I		100	lue.		1	1.47				las	Jaa	1	41-14	Ind a 1
## Access to Conf. Primary Reporting			11.	IN	IMI	LIN	991	DE	DC	IMD	МЛ	PA	VA.	PL,	1-1	JUA	RY	(A	865	NC	36	IN	N/A	MY.	KI.	CAIN	VAR	RS	IMO	UK	1A	AZ.	_	ID	NA.	MN	lw i	NE		_	-	_	UI	nw	WY
MRSL Service   R71			⊢	<b>—</b>				_	_	_	-	-	$\perp$	_	_	-	₩	_	_		$\vdash$	ш	ш	$\dashv$			_		<u>ļ                                    </u>	_	╙	<u> </u>	А		_	1	-	1	A	-	A				
AN Hamber Section   R12			_	L			_	ш					_		_	1	<u> </u>	_	_			$\perp$			_		_		_	$\perp$	$\perp$	ᆫ	<u> </u>	_	_	В	_							ß	$\Box$
AND LESS BROKES PRINT OF THE PR								ш		<u> </u>														_	_			_																	
ATM Cell Relay Services  ATM Cell Relay Servic																				D									1						1		Į.				1				
Acc To Circ Ft Transmission   1530   88   88   88   88   88   88   88										-				C	C	C	C	C	C		С	С							1						1	- 1					•				$\Box$
Access to CSS Into Access to CSS					130		3 10				7							177		1 33												AA	AA	AA.	AA	AA	AA	. AA	. AA	AA	AA	AA	AA	AA	AΛ
Access to Other First Syrs   R74   R76   R	Acc To Cir Ch Transmisso	153	BB	88	88	86	89	88	88	88	8	88	В	AA	AA	AA.	AA	AA	AA	AA	AA	AA	8B	88	88	88 88	B BB	88	88	BB	83	68	üВ	88	BB	BB	BB	08	. 88	09	98	BB	88	98	88
Accesses Order Entry Syr 870  Antonials Reput (Aff) Syr 670  A	Access To OSS Info	154			1								1	BD	BD	80	BD	BD	BD	BD	BD.	BD					_		1			г			1		1	Т	Т	1					П
Application	Access to Cust Prem Anno	R69			$\overline{}$											Т						П	8	е	В		┰		$\top$			г					1	1	1	1		$\mathbf{T}$			
Alternatic Results Amount Supply Lines Side 4.5 Amount Mode (AlM) Size R3 Amount Management M3 Amount M3 Am	Access to Ordr Entry Sys	R70			-									80	80	80	80	80	BO	BD	80	BD					1		1	1		1		_	1	1	1	$\top$	$\top$	1	T	+	$\vdash$		
Assert Supply Line   Side   45	Alternate Routing	43	AA	AA	AA	AA	AA	BB	BB	BB	88	вв											88		88	AA A	A Be	B9	88	BS	А	eв	BB	88	lea	88	<b>Tea</b>	BB	BB	BB	ВВ	BB	BB	88	BB
Asyn Tran Mode (A1M) SV: 63 Automatic Cellbark  47 C C C C C C C C C C C C C C C C C C C																								$\neg$				-	1	1	1	BB	BB	BB	66	BB	B	BR	BB	100	DE	B			
Asko Dissaver Red. CHD Askonsilic Collection 24. 47. C.				-	-		-		1	1		-	_										_		-		╅	+	+	+	<u> </u>				1		1	+	+	+		+-		-	Ħ-
Asternatic Cellearic Switching 67			-	1	<del>                                     </del>		_			-		_			-	1.2.	7 4 1	101	74.	1		1.5		0		-	+	+	+	+		$\vdash$	$\vdash$		1	<b>—</b>	1	+	+	+	-	+	-	<u> </u>	h .
Automatic Protect Sweeting   155   B8   B8   B8   B8   B8   B8   B8				10	1	1	r	6	10	10	0	0	0	10	10	10	10	10	1	0	-	-	-		6	<u> </u>	<u> </u>	76	10		1 70	-	~	0	10	~	10	1 ~	10	10	1	+~	10	С	C
Asternatic Recall   49																															110	90	00								14				В
Bridging																									0																1	_		В	_
Ending   Line   R16   R17   An   An   An   An   An   An   An   A																									0.0					0.0	0.0		00	00	I G	00	1 6				L C	150	100	C	C
C1 Ypg A CRI SW Turn			BB.	ьв	68	BB.	88	86	28	198	86	158	BB	BD	ISL	an	BU	BD	BU	BU	ᄖ	RD				<u> </u>	e lee	88	88	68	88	RR.	88	BB	68	88	BB	188	BB	188	186	1BB	BB	BB	HR.
C1 TypiB - CM SW Trum			_	-	-		_			_	-		-		-	-	-	-	-	-		_	<u>BB</u>						_			_					1		$\bot$			$\perp$	$\vdash$	ــــــ	ـــــ
C2 Tygs A X 25 PH Sw																																													
62 TygB - X75 PH Sw 15																																						AA.	, AA	. AA	AA	AA	AA	AA	AΛ
C3 Typ8-Dod Melalic 18		1.7							1																								A	Α	Λ	A	Α	Α	Α.	Α	A	A	*A	А	A
C3 Type - Dea Telegraph C3 Type - Dea Prign Audio C3 Type - Dea Prign Audio C3 Type - Dea Prign Audio C4 AA	C2 TypB - X.75 Pkt Sw		AA	AA.	AA	AA.	AA.	Αį	ļΑ	AA	[AA]	A	AA	AA.	AA	ι ĀΑ	AA	AA	AA	AA	AA	AA	AΛ	۸۸				AA	AA	ДД	Αq	А	Α	А	Α	Α	А	Α	Α	Α	Α	A	Α	Α	Α
C3 TypG - Ded Verse Grd	C3 TypA - Ded Metallic	1B						AA.	MA	M	3	۸۸	W										AΑ	Α	A	AA A	A AA	AA	AA	AA	AA	AA	AA	AA	A	A	AA	A	AA	ŢΑ	A	A	AA	Д	AA
G3 Typ6 - Ded Prigna Audio	C3 Typ8 - Dog Telograph	123						AA	AA	AA	Ž	AΑ	AΑ						0.10				AA	A.	Ä	AA A	Ā					AA	AA	AA.	AA	ΛA	ΔA	//A	, AA	AA	AA	AA	MA	AΑ	AA
C3 Type - Des Vicho	C3 TypC - Ded Voice Grd	22	AA	AA	AA	AA	AA	AA	Α	AA	AA	AA	AΑ	ÀΑ	ÁA	AA	AA	AA	AA	AA	AA	AΑ	A۸	Α	A.	AA A	A AA	AA	AA	AA	AA	AA	AA	AA	AA	AΑ	AA	. AA	AA	AA	AA	AA	AA	AA	AA
G3 Type - Des Vicke	C3 TypD - Ded Prom Audio		AA	IAA	AA	AΛ	AA	AA																																					AΛ
C3 Typf - Ded > 64kryps	C3 TypE - Dea Video	26	AA	AA	AΛ	AΛ	M	A i	A	AA	Α	д	A	да	A	AA	AA	IAA	AA	AA.	A	Α	Α	AA	A	AA A	A AA	AA	AA	AA	AA	Α	A	A	TAA	AΑ	A	A	Λ	A	A	Α	IA	A	Λ
G3 Typ4 - Ded >1 544Mbps   30	C3 TyoF - Ded < 84kpps	128	AA	IAA	AA	AA	AA	AA:	AA	AA	AA	AΑ	AΑ	AA	AA	AA.	AA	AA	AA	AA	AA	AA												M				L AA	IAA	AA	AA	AA	ÍAA	AA	AA
G3 TypH - Ded 3H 544Mbgs 32																									AA	AA A	6 64	AA	AA	AA	AA	AA	AA												A
C3 Typl - Ded Derived Ch			AA	AA	AΛ	AΛ	AA	Λ	A				A	44	Δa	AA	AA	AA	ΔΔ	a.a.	AA	AA	AA	AA	A	44 4	0 30	Α.	A															AA	A
C3 TypJ - Ded Derived Ch			-	1	-			3	÷		-		-	-			1	1.4.		1.7.	,	1.4	44	AA	ΔA	A		+-	1	1	+-	100	1	,,	100	/41	100	120	1	1.0	700	+	<del>                                     </del>	741	-
C3 TypK - Ded 64 kbps			-	1	+			· ·	i –				_	64	<del>-</del>		44	100	44	100	66	100						LAA.	100	100	AA	d n	A A	n	0.0	8.0	a.n	Α0	ia	١,	0.0			AA	5
C4 - Deat Nink Access Link   40			4.0	0.4	4.6	44	64	A.E.	10.6	8.6	6.6	4.6	4.4													_	+~	100	-	100	170														12 x
CF Must Sm Call Intersw  68																										A 2   3	1	100	1 4 4	100	4.4												IAA.	17/4	A.11
GF Var Activide Critisy Call								~	~				P,M				_						and the latest terminal to the latest terminal t	~											1/5	Α.	125						12	<del>^</del>	<u> </u>
CF Var Remote Act/Chirol 73								-	-				-											$\overline{}$	U		- 4	10	6	16	10				+	-	+-		- 6	-			12		Ç.
CF Variable Rings 75 C C C C C C C C C C C C C C C C C C								-				_	_												$\vdash$		+-	-	+-	+-	-	÷	10		ـــ	12	15		-	+-			+-	C.	<del>-</del>
CFW.htVariable Rings 75 C C C C C C C C C C C C C C C C C C										_														C																					C
CFBL Interswitch         56         C			Î.Ĉ	C				C	C	C	С		C	C	10	C	C	C	C	C	C	C			¢	C	C	C	C	C	C	cc	CC	cc	lec.	cc	100	CC	ACC	CC	CĆ	CC	cc	CC.	CC.
CFBL Intraswitch         54         C									L	L.										_		_		C																					
CFBUDA Cust Act/Deact 58 C C C C C C C C C C C C C C C C C C																								C	C	C	C	C	C	C															C
EFBLDA Cust Chg Fwd No.       60       C<								C	C	C	C	C	C												Ç.		C C	C	C	C	C												C	Č	C
GFBLIDA Cust Chg Fwd No.         60         C <td>CFBUOA Cust Act/Deact</td> <td>58</td> <td></td> <td>C</td> <td>C</td> <td>C</td> <td>C</td> <td>C</td> <td>ᆫ</td> <td>Ç</td> <td>C.</td> <td>] C</td> <td>C</td> <td>C</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>1</td> <td>C</td> <td>C</td> <td>C</td> <td>C</td> <td>C</td> <td>G</td> <td>C</td> <td>C</td> <td>C</td> <td>C</td> <td>C</td> <td>C</td> <td>C</td> <td>C</td>	CFBUOA Cust Act/Deact	58												C	C	C	C	C	ᆫ	Ç	C.	] C	C	C							1	C	C	C	C	C	G	C	C	C	C	C	C	C	C
CFDA After CW         62         C	CFBL/DA Cust Chg Fwd No.	60	C	C		C	C							· · · ·								1				С	Т				Т	С	С	С	C	C	C	C	C	C	C	C	C	C	C
CFDA Interswitch         66         C	CFDA After CW	62	C	C		C	C	C	0	C	C	С	С	C	C	C	C	С	C	С	C	C	C	C	0		0				1	С	C					C					C	C	Ċ
CFDA Intrasswitch         64         C	CFDA Interswitch																											C	C	C	C		_					_					<u> </u>	Ť	Č
CFDA To DID Intraswritch         R21         C C C C C C C C C C C C C C C C C C C													0																																Č
Call Derval - Line/Hunt R17 ( 88 ) B B B B B			Ť	1		-	Ť	Ť	Ť	Ť	Ť	Ť	Ť										Ť		Ť	_	1-	Ť	-	Ť	Ť														t č
Call Oct Rodg-NXX Screen R16 B B B B B			_	1					1	+	_	_		<del>ا</del> ٽ	<del>† ~</del>	+~	+~	+~	<u> </u>	+~	<u> </u>	Ĭ	-	$\vdash$	$\vdash$	8B	+	-	+	1	1	ť	1	\ \ \	+~	۳	+	1	1	1 4	۲ř	+~	<del>۲</del>	<del>⊢</del>	۳
			-	1	-		-	1	1	+			$\vdash$	$\vdash$	+	+	1	+	$\vdash$	+		1	$\vdash$	$\vdash$	$\vdash$	90	-	-	-	-	1-		- 6	_	4-	- 12	-	P	10	+	+	+	10	-	_
			-	1	1	-			-	DD.		-		$\vdash$	+	+	+	+	$\vdash$	+	1	•	an.	ᇑ	DD.		100	0.0	ne	DP	O.D.	-	-	-	+	۳.	+	- 6	1 63	+	+	+	╀⋍	+-	$\vdash$
The second secon	Carl Cel Medal Ripls PKI	1141	-	+	+	-	-	lo_	°-	100	OP.	0	05	$\vdash$	$\vdash$	+	+	$\vdash$	$\vdash$	+	<b>—</b>		an	ᄱ	60	-	100	88	Bes	68	62.0	-	$\vdash$	-	+	$\vdash$	+	-	+	+	-	+	+	+	<u> </u>
9/30/2010 Updale  Pege 1	DIROCONO LIAdole IDece 41	+	-	-	-	-	-	-	1	-			$\vdash$	$\vdash$	$\vdash$	+	+	$\vdash$	-	$\vdash$		1	<u> </u>	$\vdash$	$\vdash$			-	-	+-	-	-	$\vdash$	٠.		-	-	-	+	-	-	+	-	+	. —

Service Name (Generic)			Д	mer	Itecl	h	Т		Be	di A	danti	c						9  <b> </b> \$6	HI-UK				l h	IYNE	EΧ	Pa	ciffic			BWB	Т								Q	wast	53		_	11.		
(some Region Specific)	Pn	ΊĻ	(th	M	i Qi	НΜ	vi (	oe lo	oc I	MU	NJ I	PA	VA.	ΑL	۴L	GÀ	IKY	1LA	MS	MC	SC	TN	MA	NY	RI			AR	KS	MO	ОK	ΥX	AZ.	co	ΙD	ÍΙΑ	IMN	MT	INF	NM	32	OR	SD	UT	WA	WY
Cell Detail Recroto Rots	52	1	Ť	_	Ť	$\top$					88					8		18					0		О	-				B											188					
	R19	c	t	+	+	+	Ť					_	_	Ē	1	Ť	1	<del>l</del> ~	۲	Ť	1	۲	Ť	1	1 <del>~</del>		-	1		<u> </u>	_	<u> </u>	1		-	-	1	1	100	100	100	00	100	100	00	20
Call Queuing(NextConnocts)		-	1	+	+	+	-	-						-	1-	+-	+	1-	+-	-	+	t	1	1	1	1	1	1	-	-	-		C	C	C	6	0	-	C	+	10	C	C.	6	-	C
Romote CF On DID Lines	R45	Н	t	+	+	+	+	-1	-	_		_	_	1	<del> </del>		+	1	1	+	+	1	Н	1	+	_	-	_				-	č								G	6	Č	ŏ	ē	
Cell Redirect Acceptance	R89	諨	BE	3 35	1 85	E R	z t	-+		_	-			Н		<u> </u>	-	1	+	+		1	1	i –		-	+	_	-	-	_	_	<del>1</del> ~	ř	-	<del>۱</del>	۱×	-	Ť	10	1 "	-	· *	<b>-</b>		۲
Call Redirection Packet	142				3 88			9 1	0	BB	89	9	98	en	RO	BO	en	len	BD	BD	BO	BD	BD	en	8n	幅	-	80	BB	88	BB	6	е	9	В	ie	8	В	В	В	В	В	В	ы	В	B
Call Transfer On DID	R23	-	+	+	7	-	7		В	В		В	6			6					8			100	100	100	1	30	100	100	50	-	В			В							B		-	_
Call Waiting	R24	-	10	+	1	٠,	c		C		c		C			C		C					С	10	С	-	C	-	+	-	+	-	۳-	-			۳	۳	+ 6	- 0	+	п	-	-	Ц	-
Call Waiting Cancel	76		10					c		C	č	ö	ò	×	č										č			-	10	C	C	C	C	С	C	10	c	c	C	C	c	C	0	С	C	C
Calling Name Delivery	R26	-	+ 5	4	+	-	V	40	6	0	· ·		~	-	1	-	+~	+~	-	+~	10	۲	-	1 4	-	۲-	-	-	14	6		1									B					
	R27	⊢	+	+	+	-	+	-	-	_	-		_	⊢	⊢	-	+	-	+	+	+	-	-	1	+	₩	-	⊢	-	-	-	-	분			В							6			
Caling Name ID		⊢	+	+	+	_	4	-	-	2			_	-	-	$\vdash$	$\vdash$	+-	-	-	-		ļ	_	4—	▙	-	-	-	-	-			_	_	C					C		C		G.	Ç
CEMSS	R81	_	+	+	+	+	-	-	_					_	_		-	-	_	-	_	┺	_	1	_	▙	-	₽-	-	-	$\vdash$	ļ.,	8	В	<u>B</u>	8	8	В	В	В	8	В	В	B		B
CEMSS Subscriber	R82	<u>.</u>	٠.	1	٠.		_	- 1						_	_	-	_	1	_	₩	$\perp$	┺	_	1		1_	_	_	-	L	-		_	С	C	$\perp$		_	_	Ç	_			Ш	£	C
Clk DN Deliv via 900NXX	80	BB	88	3   86	3 B6	8 8	8 18	88	8	8	88	88	8	_	_	-	_	_	_	_	_	ட	88	88	BE	┖		AA		AA			┖	_	_	_	-	_	_		1		_	Ш		$\perp$
Clki DN Deliv via DID	78	_	+	_	1	$\perp$	_	BB	88	88	88	88	BB	88	198	BB	BB	188	68	198	88	ien	BO	18D	BO	188	188	В	В	В	8	В			BB		В				В				88	В
	81		1		$\perp$	$\perp$															88			188																	BB					88
	83	88	8	3 88	3   86	3 8	8	ВВ	3	68	88	BB	88								89				BB	89	16B	88	88	88	86	В			86						BB					88
Clig DN Deby via BCLID	171								_ 1					88	68	BB	88	BB	88	В	BB	ВВ		1		]							80	₽₽	89	lea	88	BB	BB	BB	В	88	8	BB	88	В
Clig DN Dežvivia ICLID	85	C								В	В		6	C	C	C	C	C	C	C	C	C	C	0	С		lea	С	C	C	C	C	₿B	ВВ	88	88	88	86	BB	BB	BB	BB	80	BB	29	29
Closed User Groups Pkf	143	BD	BI	BE	) BD	ĎΒ		BD I	BD	BD	BD	B	80	BD	eD.	BO	80	80	80	80	80	lep	RO	8D	BO	83	T	88	BB	BB	BB	88	В	B	В	18	9	В	e	В	В	е	8	θ	θ	В
Con Ph-Post Dial DTMF	89		Т		Т	$\top$	$\neg$	CI	ī			C		Α	Α	Α	A	A	A	A	A	A	С		C	Т		C	C	C	C	€	Α	A	A	ÍΑ	A	A	A	A	A	Α	A	Α	Α	Α
Compute Assist Call Xfer	R88	88	88	3 86	3 B6	3 B	8							Г		-			Т	$\top$		П	1			Т	100	Т					П					1		1						
Compute Assist Dialing	R87				i GE			_						г	1	$\top$	$^{\dagger}$	1		$\top$		i	T	1		Т	1	-	_			_	1	+	_	1	-	1	1	1	1	-				
Conditioning	159							88 li	вв 1	88	BB	ВВ	BB	BD	BD	BD	BO	BD	180	100	BO	BD	08	BB	TOB.	109	ies	98	98	iea	ae	88	lea.	BB	BB	BB	BB	BB	BB	BB	EB	ВВ	BB	BB	83	88
Coord Voice and Data	RB5				3 BE				-	-	-			1==	1	+	1	1	+	+		<del> </del>	<del> </del>	1	+	<del> </del>	1	<del> </del>	1-0	100	1	1	1	100	-	1	1	1	1	1	1	-	-			
Cust Originated Trace	90		10					c	C	C	С	C	Ç	С	C	c	C	ic	0	C	C	İσ	C	C	c	t	0	l c	16	6	ि	C	t c	C	С	0	C	10	C	C	10	C	C	С	C	C
	90	-	+		+-	+	+			A											AA						Ť	Ť	+-	Ť	+-	-	Ť	+-	Ť	1.0	1×	1 ×	+ ~	Ť	Ť	۲Ť	100	Ť	Ť	<u> </u>
	87	44	100	1 44	101	0 A	4														AA						44	_	+	_	_	1	۵.	A	4	4	1 4	4	A	1 4	A		4	Λ	Δ	A
DIO Load Across WC	R30	1	1.	1	1	+	1	-		-	50	-	-	-	100	100	100	100	100	100	,,,,,	100	100	0		<del>                                     </del>	1	-	+	_	-	$\vdash$	1^	10	10	10	10	1	1 23	+	10	$\vdash$	13			
DID Trunk Queung	93	1	+	+	_	+	-	a t	9	89	9	R	8	Н	_	-	+	_	+	+	+		1	-	+	88	-	+	-	<del>-</del>	+	-	06	DO.	DD	00	go	DD.	100	00	88	O.D.	00	88	BB	BB
DNAL Alarm Service	40	0.0	100	100	A AV	0 4		٠,	-	-	-			┢─	-		+	+-	+	_	_	-	-	-	+	<del>l'''</del>	+-	-	+	-	-	_	100	100	90	100	100	00	100	100	100	100	UU	00	00	00
	40				A			-	-	-	-	_	-	-	+	-	-	+	-	1	-	-	-	+	+	1	1	-	+		-	$\vdash$	-	+-	-	+	+	-	+-	+-	+	-	-			⊢
DNAL Amich Sw-Cmputr Apl					À			-	-	-	-1	_	-	-	-	-	+	+	-	+		-	-	+	+	╌	+	-	-	-	╢	_	-	+-	-	-	+-	-	+	+	+	-	-	$\vdash$	_	$\vdash$
DNAL Ckt Sw Fac Criti	40				A			$\rightarrow$	$\dashv$	-	-		-	⊢	-	+	+-	+	-	+	-	$\vdash$	-	+	┿	1	-	⊢	+	-	-	$\vdash$	⊢	-	-	-		+	+	+	-	-	-		_	-
DNAL SAADI	40				A			-	-	-	-		_	-	-	-	+	+	-	+	-	⊢	-	-	+	_	-	-	+	-	-		+	-	-	+	1	+	+	+	+	-	-	_	_	⊢
DNAL SAADI-E	40				A			-	-	-	-	_	_	⊢	-	-	+	+	-	+	-	-	-		+	⊢	-	-	+	-	-	Η.		⊢	-	-	+	+	+	+	┰	-	-	_		⊢
					\ A			$\rightarrow$	-	_	-		$\vdash$	⊢	-	-	+	+-	+	+	-	-	⊢	+-	<b>!</b> —	<b>∤</b> —	-	-	-	-	-	-	⊢	⊢	-	1	⊢	-	+	+	-	$\vdash$	-	$\vdash$	_	⊢
DNAL STP Access	40	AAA	100	1/4	N PV	A P	~	-	-	_	-		-	-	DB.	100	100	100	100	100		LOD.	-	₩	+	⊢	-	⊢	+	-	-	-	⊢	₩	+-	⊢	₩	+	+	-	-	$\vdash$	<b>!</b>	_	_	⊢
	R72	⊢	╀	+			4	-	-	-	-		_				BU	BL	BU	HO	80	IRO		1	١	+-	+-	+-	-	٠.	-	_	٠.	1	-	1	ļ.,	1.	+	-	1		1	_		<del>-</del>
Data Over Voice (DOV)	160	-	+	+	-	+	4		_				_	0	C	C	10	10	C	10	C	10			AA		-	C	C	C	C	C	AA	IAA	A		AA				A				AA	
	R59	-	1-	-		4	.1	-	_	-		_			-	-	-	-	-	1	1	1			BD		-	⊢	$\vdash$	-	$\vdash$	-	β	8	8	В	8	В	B	В	В	В	В	B		D.
Derived Ch (Monitoring)	162	cc	TCI	CC	C CX	c c	C	C		c	ш	C	Щ	L_	C	_	+	-	+-	$\vdash$	_		<u>C</u>	C	0	1 0	C	ــــ	_	-	-	$\vdash$	١.	1	-	1	1		-	1	1	_	_			<u></u>
	R28	_	1	1	1	+	4	_	_		_	_	_	_		-	-	1		-	1	L.	ļ.,	1_	1		-	_	_	1	$\vdash$	_	B	В	В	18	В	В	В	В	B	B	В	8	В	$\perp$
Dialed Num ID/INWATS-DID			1	-		$\perp$	_							BD	BD	BD	BD	BD	BO	BO	80	BD	98	18	88	_	1	<u> </u>		_		_	_													$\vdash$
	R31						_																										В				В						В	В	В	
Dir Call Pickup w/o8arge	R32		$\perp$		_		_1																										В								B	В	В	В		
Direct Call Packet	145	C	- (	2	10	2 7	C C	c i	C	CC	CC	C	CC	80	60	80	BO	led	BO	80	80	BD	GD.	BD	BD	CO		CC	CC	CC	CC	C.	Ġ.	C	C	C	C	C	C	C	C	C	ic	C	Ċ	C
Direct Current (MT3)	R5	匚			I	$\perp$	I																										Α		A			A	A	Α	Α	Α	Α	A		A
Dist Ring Term Screen	97	C	1		10	7	c	C	C	C	C	C	C	C	C	C	C	C	C	C	С	C	C	10	С			С	С	С	С	С	C	С	C	C	C						C	С	C	C
Distinctive Alert	R33						1	15	Tel:						- 11	1	100								1			Т					В				ÍΒ						В	В	6	
Distinctive Ringing	94	C	(		1.0	2.	c	C	C		С	С	С	Ċ	C	C	C	10	C	C	C	C	П	1	$\top$	C	C	C	Ç	C	С	C					0		C				C	C.		C
Easy Access	R34	Ť	T	1	1		-		-							Ť	1	1	1	1	1		T	Ĩ	$\top$	r	Ť	Ť	T	Ť	Ť	Ť	Č		C		C						C	ō	_	
Elhernet Port Over SQN⊆T	R73	1	T	+	+	$\top$	1		$\neg$		$\vdash$			-				1	1-				1	1	1	!-	_	-	t	-	t	<b>†</b>		8	В		8		В	В	В		8		B	B
Extended Superframe Cond	164	ee	AF	a A	3 88	A B	g I	AA I	امم	AA	A	AA	A	AΛ	AA	44	AA	JAA	AA	100	. AA	۸۸	٨	IA	A		+	88	88	88	ВA	99		1		1	0	1	1	-	-	-	-		<u> </u>	۳
amende Capaniania Cara	.04	۳	150	150	+-	10	÷ř		***		-		-	741	1.44	1	1	1.27	1	1	17.4	1.27	<del>r -</del>	+~	1	1	+	1	100	100	100	100	1	_	_	1	_	+	1	1	+				$\vdash$	+
9/30/2010 Updale (Page 2)		1	+	+	+	-	+	+	-		$\vdash$			_	1	1	1	+-	+	i	+	1	t	+	d i	1	+	+	+	+	+	1	-	1	+	1	1	+	1	+	1	1		$\vdash$		$\vdash$
o akas, a l. aña vi		_			_		_	_	_			_				•	_		щ.					_								_	_	1		_	_		1	4	1					_

Service Name (Generic)			Алта	arite	e G.la			В	eli A	dand	c	$\neg$				Be	1150	uth			_	N	YNE:	× T	Pac	lfic		8	WB	г					14.00	2006.0	a	C	wes	L					
(some Region Specific)	Pa	IL	IN.	MI.	OH	W	OΕ	۵G	MΩ	NJ	P۸ ۱	۷A I	AL I	FL	GΑ	KY	ĻΑ	MS	NC :	SC 1	TN I	MA	NY.	RI.	CA	ΝV	AR	XS	MO	OK	TX	٨ZI	CO	ID	IA	Min	MT	NE	NA.	a Inc	0 0	RISD	TUT	W	WY
Past Select Accept Pkt	146	86	8B	8B	BB	BB.	ВВ	BB	88	В	8 (	8	30 l	BD.	BD	BO	BΩ	BD	BD I	ID F	80	BD	BD					68		88			_	В	В	8	В	В	В	8		В	B	В	8
Fast Select Request Pkt	147	C		-	C				C:		-								BD I					8D				88						B		В	В	В		8		B	18	B	8
Faster Signating On DID	99	-	H	$\dashv$				2	88		8 1								CE I							$\dashv$		100	-	-	-			AA									NAA I		AA
Flexible ANI	100	88	ВÐ	AA.	98	ρk		8											88					e	$\dashv$		68	88	AA.	88	A		8	В		8	e	В	В	8		е	A	B	8
Flow Comr Param Neg-Pkt	R60	200	<del>  "  </del>	200	00	00	ř	~	-	•	-	<del>' I</del>	70	00	00	00	90	50	1 V	~	~~	<del>*  </del>	Ť	Ť	$\neg$	-	-	100	00	500			8	8	В	В	В	В	В	8		В	B	6	8
Frame Relay Service	R6		-		-	-	-	$\vdash$	-	$\vdash$	-	-	4.0	4.6	2.0	0.0	44	έn	ÄÄ,	. 4	ė a	4.6	44	46	$\rightarrow$	-		$\vdash$	_	-														AA.	
High Cap Dig Hancoff Svc	R74	$\vdash$	Н	$\dashv$				g	В	В	В	9	22	~	200	PVA.	2	~	200 /	<u>~rr</u>	~	~	m.	~	<del>-</del> -ŧ	-	-	Н	-10	-	-	~	~	/vo	100	100	100	+~	<u> </u>	+~	7	100	400	400	100
	101	$\vdash$	$\vdash$	$\dashv$	_	$\vdash$	C		CC	C	CI		c	c	С	-	c	c	$\vdash$	<u> </u>	~	BO	<u>.  </u>	80	ci	~	_	c	С	С	С	C	С	100	C	12	c	+-	: 0	1	0 0	do	: c	C	l c
Hot Line	148	155	555	=	00							is l	20						BD I								C	вă															В		
Hum Groups Packet		88	06	פט	05	00							on	ᄜ	ov	DU	OU	ΠD	ו עם	30 6	DU	ᄜ	וטם	ᅃ	60		00	00	00	00	_	В	В	В	В	В	8	В	В	B	В	8	뿌	8	8
	R75	$\vdash$	$\vdash$	_			8	HR.	BB.	88	RR I	98	-	_		$\vdash$	$\vdash$		$\vdash$	-4	_	_			$\rightarrow$			$\vdash$				-	_	100	-	-	-	┶	+-	+	_	1	+-	1	-
Incoming Cls Barred-Pkt	R51	_				_	ـــ					_	_	_			_			_	_	BD	BD.	BD.	<u> </u>	_		_		_		8	В	В	8	B	В	<u>B</u>	В	_ 8_	В	8	В	В	<u>B</u>
Initral Address Message	R94	80	98	88	88	88	_	1			9		_							_	_													2.0	_				1				$\perp$	1	
	R63	_	Ш				_			$\Box$		_	_								_1									ш			θ	В		Β	В	Β	В	Β		В	В	8	Β
	R62		$\Box$																									$\Box$					В	В		В	В		В			B	5	В	В
MLHG Access to Each Port	109		98				98	В	88	88									BO						₿B]									88									8 8 8		
MUHG CO Announcements	107		88							0.00	В							88		38 6				BD	1		86	88	68	88	В	88	88	68						3 88					88
MLHG Overflow	511																		BO								_			_				88									8 80		08
MUHG UCD Line Hunting	113	68	88	88	88	88	ВВ	88	88	88	88 1	88	BD	BO	BD	BD	BD	BD	В	3D (8	80	BO I	BD.	80	68	88	88	88	68	88	В	88	88	ВВ	BB	ВВ	BB	Bi	3 [88	3 B/	BIBE	1 86	88	88	88
MUNG UCD With Quanting	115		88						88									BB				BO					BB	88			В			88	BB	BB	BB	g B!	3 86	3 B/	8 81	TE	188	BB	88
MWA - Packet Access	530			-	-									-														88							1	1	1	1	1	+		-	Ť		1
MWI ATR Addible Mag Wig	102	С	c	-	C	C	C	C	C	c	С	c	c	C	С	C	С	Ç	C	С	С	C	C	C	C	C	C		C			CC.	CC	cc	CC	lec	doc	1 0	Co	c le	cle	a lor	1 00	: 00	cc
MWI ATR Visual Msg Wlg	104	č			C	Ğ		Č		č			히					č			č	_	Ť	Ŭ		č	Ŭ-	-	~		×			CC											CC
MW Act (Audible) Expano	181		88	00					Be				~		-	1 -	۳	-	12	-	~	$\rightarrow$		-	H	-		1	$\vdash$	$\vdash$	Н		88			68				3 B		В	ie	Be	
MWI Act (Visual) Excand	164		88		00	90	80	음:	88	00	00 1	읆	-	-	-	-	_	-		-	-	$\dashv$		-	Н		-	Н	$\vdash$		Н	8B		B	B		B	100	8			B		8	В
MWA Activation (Audible)	179		60										50	no.	DD	DD.	GD.	00	88,1	3B I	99	DO.	60	00	en l	ᇹ	-	В	0	В	В			BB.				- 107		3 BI			100		
MW Adivation (Visual)	183		88		00	00	00	50	86	60	00 1	00	66	0.0	0.0	00	00	θ				00	GD.	00	89	-21	P-	6	10	-	-			68											
	102			00			100	00	00	001	00 1	00	-	D	0	-	0		P.	0	9	-		-	00	-01	-	-	-		Н														
MW Audible/Visual		C	C	00	C	C	100	00	DES.	20	50 l	20	50	00	P.P.	55	55	m.n.	no.	200	-	no.	55	no.	50	55	nn.	ron.	EVE.	no.	-	0	C		<u> </u>			. 0							
Make Busy Key	173	20	BB	BB	RR	RB	BB	88	88	88	88 1	58	PD.	BD	BD	RD	an	BO	BD	SU	an I	RD	βD	BD	68	в	BB	BB	88	88	В		BB									BE			
McCelloh Loop (LS2)	R7.			-									-	-	255	-			1 - 1							_	-	-	_	_ 1	1_			AA									\ AA		
Message Desk (SMDI)	175	BB.	BB	BB	88	BB	ee.	88	68	BB	98 1	88						RR	68			es	HG.	99	88	8	<u>B</u>	В	8	В	8	BB	88	188	Be	68	188	B	B BE	3 18	B B	BE	188	88	BB
	R35	_		_	_	_	1—	<u> </u>		_		-4	8	В	В	В	В	_		В.	8	_	_		<b>—</b>	_	_	_		_	_			٠				_	-	_	-				
Mplx-T1-1 544Mbps-Line	R36				_		_			Ш	_	_				_	5	$\perp$			_				Ш		$\perp$	L .				BB	BB	88	BB	BB	89	BF	3   GE	3 B	B   BI	3 BE	/ GE	5 B6	BB
	R37						_					_				-					_	В	Ð	₽9	Ш									1				1	1	-	3		$\perp$		
	177	88	BB	BB	88	BB		88	88	BB	BB (	88	B8	88	BB	BB	BB	BB	68	8B J											8			88			B		B   BE			<u> B</u>	В	88	
Mult Ntwk Addr/Port Pkt	R64								88													BD											В	В		В	B	В				_		В	B
Multiline Hunt Group	105		88																BD						BB									BB						3 B			9 08		
Multiplexing-Digital	R76	BB	68	88	88	88	В	В	88	88									60		80	68	88	в			68	88	88	69	88	88	88	98	88	88	BB	BF	B   86	3 8	B 86	3 86	7 B6	3 BB	88
Name of Calling Party	117		C				C	C	C	C	C		ा		С			С			C	С	C	С																					1
Network Reconfiguration	186	BB	68	88	88	98	В	е	в	8	88 (	В	90	BD.	80	80	80	8D	eo	9D I	60	69	e (	88	98		69	88	98	88	88	88	В	8	88	166	8	BI	B B	81	B 8	e le	В	69	8
	R3B	100	- 7						-		100						1000			T				1				HIK.					C	C	C		C	1 0	3 0	: 17	C (	1		: 0	10
Op Svex - Auto Call Dist	R39		$\Box$				1	_				ı	$\neg$						$\Box$		-1	_			r							В	В			9	B		B				В		8
	R83						П	F											1						П					Ì				1	1	е		6		T			$\top$	1	1
Outgoing Cls Barred-Pkt	R65	1			_	1	1			$\Box$	_	7								<b>-</b>	_	BD	во	BD		1						В	В	18	В	8	В		B	8	В	В	В	В	В
	R66	-	Н			$\vdash$		-		$\vdash$	- †	-	_			1						eD			$\vdash$			1						e		9	8							8	B
	R90		Н				1			$\vdash$			T			$\vdash$			<del>   </del>					В	$\vdash$		$\vdash$	$\vdash$			Н	Ť	<u> </u>	+-	-	1	1	+	۲,		-	12	+	1	100
President for Quia Svcs	151		$\vdash$				R	B	BD	B	e i		ñn i	BD.	BD.	BO	BD.	SD.	BD	nn li					log l		CC	CC	CC	CC	C	-		1	1	-	+	+	+	+	_	+	-	+	+-
Privacy +	R41	_	Н			$\vdash$	-	-	- au	-	_	-		-	.30	100	40	20	1010		20	30	-	20	120	S		VV	20	uu	-		c	C	C	C	C	: 0	: 1	<del>,    </del>	0 0	10	C	: c	C
	R40	$\vdash$	-	-	-	$\vdash$	-		-	$\vdash$	-	-	en!	RD.	80	BD.	BD.	an.	BD	en li	BD.	-	_	$\vdash$	⊢⊦		$\vdash$	$\vdash$	<del></del>	-	Н	-	1	10	10	1	14	4-	4-	-	0 3	4	-	4 6	10
Priority Service Install	Meth:		Н		$\vdash$	$\vdash$	1			$\vdash \vdash$	-	_		00	ΘU	lon	BU	OD	PU	ון עני	OU.	$\rightarrow$			$\vdash\vdash$		$\vdash$	$\vdash$	$\vdash$	-	$\vdash$	-	-	+	-	1	1	+	+	+	+	+	+	+	+
commonate the seas f0 === ***	-	-	Н		$\vdash$	$\vdash$	-			$\vdash \vdash$		-	F	-	_	$\vdash$		-	$\vdash$	$\rightarrow$	-	$\rightarrow$			$\vdash \vdash$		$\vdash$	$\vdash$	$\vdash$	2.	$\vdash$	-	$\vdash$	+	+	+	+	+	+	+	+	+	+	┿	+
9/30/2010 Update (Page 3)		ட														1.																		1	1		1	丄		$\perp$		_1_			

Service Name (Generic)				erite						llanti							IISo						YNE		Pac				NET										west						
some Region Specific)	Pg	IL	IN	MI I	ŌΉ	W	DE	DC	MD	NJ [	PA 1	VA]	AL j	FL	CA	KY	LA.	MS	NC.	SC	ነላ	MA	NY	ŊŢ.	CAL	NV /	SR.	KS I	40	OK ·	TΧ	ΑZ	CO	IQ.	IA	MN	MT	NE	NM	ND	QR	şo	ŲΤ	W	N.
Redirecting Name Deliv	R42	П		$\Box$			П			$\neg$	T	$\neg$	一						П					$\neg$		Т				_	П													В	
Redirecting Num Dehv	R43					- 4	П					$\neg$			3114				П							_	$\neg$	$\neg$	$\neg$			C	C	C	C	C	C	C	C	C	C	C	C	C	Т
Remate Access Service	R9	П										$\neg$	AA	AΑ	AA	AA	AA	AA	AA	AA	ΑA				$\neg$							0.7													T
temote Call Forwarding	R44						0	C	C.	С	C	ा	C	0	C	ं	C.	C.		C	Č	Ċ	С	C								В	8	8	В	В	В	В	В	8	В	В	B	В	5
Rev Blig On Ckt Acc	119			$\neg$	$\neg$						$\neg$	_1	В	В	В	0	В		П	0	В			_1		7	-1																		T
Rev Chg Reg Optn-Pkt	R67																					99	BO	80		$\neg$						В		В	В	8	В	0					B	В	В
Reverse Chg Accept Pkt	152	ΒB	88	BB	BB	88	В	В	BB	ВВ	В	88	BD	BD	BD	BD	BD	BD	80	BD	GD.	80	BD	80	ВВ			88		BB		в	θ	Β	В	8	В	В	je .	В	е	8	8	8	18
Route Chiversity	165	98	88	88	88	88	В			В		В	BD	BD	BD	BD	BD	BD	BD	BD	8D	60	ΒB	83		7	38	BB B	ВВ	вв	BB														T
Secondary Ch Capability	166	BB	88	BB	B₽	BB	BB	8	88	BB	88	В	eD	BO	BD	<b>B</b> D	ВО	BD	BO	вD	80	θВ	BB	89	<b>6</b> 8	1	38	₽B	BB	BB	98	88	88	88	88	98	BB	89	188	88	BB	BB	BB	BB	B
Security Screen	IR45	_							-			$\neg$											$\neg$	$\neg$						100		C	Ċ	C	C	C	C	C	10	C	C	C	C	C	
Selective Call Forward'g	120						C	C	C	С	0	C	C	C	C	C	С	C	C	C	C		$\neg$		C	C	С	C	C	С	С	C	C	C	C	C	C	C	C	C	C	C	C	C	
Selective Call Rejection	123	C	C		C	С	C	С	С	С	С	C	C	C	C	C	C	C	C	C	С				С	C	C	C	C	C	C	C	C	C	i c	С	C	C	C	C	C	C	C	C	
Selective Call Waiting	R47												-											1			- 1					С	C	С	С				C	C	C				
Shared Speed Calling	126							C	C																С	丁	i					C	C	Ç	C	С	C	C	C	C	C	C	C	C	
Single Num Acc-Mult Loon	128	П	П							П		П	C		C	C	C	С	C	С	C				П	T	T																		Т
Speed Calling	130	C	C		C	C	C	C	C	C	C		C	C	C	С	C	C	C	C	C	C	C	С	C	$\Box$	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	10	
S7MW1	891	_			-	-	В	B	В	B	B	В		-								В	В	В																				t	$\top$
Statistical Multiplexer	168									П	8		$\neg$						-	•					$\neg$			ヿ									Ť		$\top$		1				$\top$
Surrogate Client Number	R49	1								П		$\neg$	BB	ВВ	86	BB	ВВ	88	В	88	88									5								$\Box$				Т			Т
Syc Code Denial Ln/Hurs	848	$\vdash$	П	一		П				П	┪	_	$\neg$											1	BB	T٢		-	_			_						$\Box$	$\top$						$\top$
Switched 56 Kilobit Svo	R50					П	AA	AΑ	AA.	AΑ	AA .	AA.	AΑ	ĄΑ	AΑ	дд	·ΑΑ	AA.	A,A	AΑ	ĄΑ	AΑ	AΑ	AΑ				T	$\neg$		$\Box$						$\top$	$\vdash$	$\top$	$\overline{}$	1	_			T
Fandem Routing	132	88	88	88	20	90													В					AA	AΑ	AA		100	- 1			7			T		$\top$			1	$\top$		$\top$	$\top$	$\top$
Third Numb Bill Inhibitd	R52					П	П			П	$\neg$	$\neg$		D			i o								-	_	C	C	C	C	С				1	_	$\top$	1	1					1	Т
Taree Way Call Transfer	134	88	88	88	88	вв	88	88	ВВ	88	68	В	BO	BD	80	80	BD	80	BD	80	BD	8		в	96	В						98	68	BB	98	89	98	68	98	188	88	98	80	08	To
faree Way Calling	R53	$\vdash$					BB	DB	BB	86	BB	GB.	C	C	C	C	0	Č	C.	C	C	ВВ										BB	88	вв	ВB	ВВ	BB	ВВ	86	88	BB	86	88	88	e
Fraffic Data Reports	R55												9 !	В	8	В	8	8	В	8	В	BB	9	BB		$\neg$						BB	BB	GB.	ВB	Bū	BB	88	88	88	88	BB	88	86	B
Frans Impry-Cki Sw Sves	R56											П											1			$\neg$						8	В				8	B	8	8	9	9	D	9	
Frunk Side Access Facil	R10	Г											A	A	A	A	A			Α	A																								T
JEN Service - 9-1-1	R78													1000	lege-		000																			B								8	I
Joif 7D Acc Num Overlay	138								19.				88	BB	88	88	88	88	8	98	69	98		98	_ 1																				T
Juif 70 Acc Num RCF	136						8				В.																												$\perp$				1	$\perp$	T
Jeer Intid Diagnostics	R79												BD	BD	BD	BD	6D	BD	BD	BD																									T
/er Intgriy Subscr Lines	169	BD	8D	BD	BD	ВŌ		- 25	6													AA.	AA.	AΑ	88	9B											1								T
/orsanet	R60	T_																															C			C		C					C		T
Warm Line	139	Ç	C		C	C		C	CC		C	c	C	C	C	C	Ċ	C		C	C	69	BD	80	Q	C	C	C	C	C	C	C	С		C			C					C	C	
Wreless Extension	R57						$\Box$				$\dashv$	$\exists$			17,88				$\Box$		A.S.					1						c	С	C	C	С	C	C	С	C	C	C		C	
9/30/2010 Update (Page 4)											_	Ⅎ			_											⇉																	$\pm$		#

Page numbers are based on 7/31/2010 release of the ONA Services User Guide

Page numbers preceded by an Riare in Appendix 1 of the ONA Services User Guide, which contains Region Specific services,

Abbreviations. A=BSA B=BSE

C=CNS D=BSE/CNS

Under each state abbreviation, the left column conterns FCC tariff information and the right column conterns scale tariff information. Please note - recently various &OCs have completed, or are in the process of completing, corporate intercepts.

For this gocoment, the old company names will continue to be used (for example, Bet Allentic and NYNEX are listed separately, rather than being combined under the Verizon name, Southwestern Bell and Pacific Bell and Amentech and DeliSputh are listed separately, rather than being combined under the ATST name).

Generic Name of Service	Generic Name of Service
Abbreviated Name	Full Name
555 Access Service	555 Access Service
Access 911 Caller Info	Access to 9-1-1 Caller's Information
ADSL Service	ADSL Service
AIN Alternate Routing	Advanced Intelligent Network Alternate Routing
AIN Term Data Co/Cus Rt	AIN Terminating Data Collection/Customized Routing
	ATM Cell Relay Service
ATM Cell Relay Service	
Acc To Clr Ch Transmissn	Access To Clear Channel Transmission
Access To OSS Info	Access To Operations Support Systems Information
Access to Cust Prem Anno	Access To Customer Premises Announcement
Access to Ordr Entry Sys	Access To Order Entry System
Alternate Routing	Alternate Routing
Answer Supv'n Line Side	Answer Supervision With A Line Side Interface
Asyn Tran Mode (ATM) Svc	Asynchronous Transfer Mode (ATM) Service
Auto Disaster Rec. DID	Automatic Disaster Recovery of DID
Automatic Callback	Automatic Callback
Automatic Protect Swtchg	Automatic Protection Switching
Automatic Recall	Automatic Recall
Bridging	Bridging
Bridging - Line	Bridging - Line
C1 TypA - Ckt Sw Line	Category 1, Type A - Circuit Switched Line BSA
C1 TypB - Ckt Sw Trunk	Category 1, Type B - Circuit Switched Trunk BSA
C2 TypA - X.25 Pkt Sw	Category 2, Type A - X.25 Packet Switched BSA
C2 TypB - X.75 Pkt Sw	Category 2, Type B - X.75 Packet Switched BSA
C3 TypA - Ded Metallic	Category 3, Type A - Dedicated Metallic 8SA
C3 TypB - Ded Telegraph	Category 3, Type B - Dedicated Telegraph BSA
C3 TypC - Ded Voice Grd	Category 3, Type C - Dedicated Voice Grade BSA
C3 TypD - Ded Prgm Audio	Category 3, Type D - Dedicated Program Audio BSA
C3 TypE - Ded Video	Category 3, Type E - Dedicated Video BSA
C3 TypF - Ded < 64kbps	Category 3, Type F - Dedicated Digital (<64kbps)BSA
C3 TypG - Ded 1.544Mbps	Category 3, Type G - Dedicated High Capacity Digital (1.544 Mbps) BSA
C3 TypH - Ded >1.544Mbps	Category 3, Type H - Dedicated High Capacity Digital (>1.544 Mbps) BSA
C3 Typl - Ded Airt Trnsp	Category 3, Type I - Dedicated Alert Transport BSA
C3 TypJ - Ded Derived Ch	Category 3, Type J - Dedicated Derived Channel BSA
C3 TypK - Ded 64 kbps	Category 3, Type K - Dedicated Digital (64 kbps) BSA
C4 - Ded Ntwk Accss Link	Category 4 - Dedicated Network Access Link BSA
CF Mult Sim Call Intersw	Call Forwarding - Multiple Simultaneous Calls Interswitch
CF Var Act w/o Crtsy Cal	Call Forwarding - Variable - Activation Without Courtesy Call
CF Var Remote Act/Cntrol	Call Forwarding - Variable-Remote Activation/Control
CF Variable	Call Forwarding - Variable
CF With Variable Rings	Call Forwarding With Variable Rings
CFBL Interswitch	Call Forwarding - Busy Line Interswitch
CFBL Intraswitch	Call Forwarding - Busy Line Intraswitch
CFBL/DA Cust Act/Deact	Call Forwarding - Busy Line or Don't Answer - Customer Control of
	Activation/Deactivation
CFBL/DA Cust Chg Fwd No.	Call Forwarding - Busy Line or Don't Answer - Customer Control of
	Forward-To Number
CFDA After CW	Call Forwarding Don't Answer After Call Waiting
CFDA Interswitch	Call Forwarding - Don't Answer Interswitch
CFDA Intraswitch	Call Forwarding - Don't Answer Intraswitch
CFDA To DID Intraswitch	Call Forwarding Don't Answer To DID Intraswitch

Generic Name of Service Abbreviated Name	Generic Name of Service Full Name
Call Denial - Line/Hunt	Call Denial On Line Or Hunt Group
Call Det Rodg-NXX Screen	Call Detail Recording Reports - via NXX Screening
Call Det Recd'g Rpts Pkt	Call Detail Recording Reports (Packet)
	Cat Detail Recording Reports
Call Detail Recrd'g Rpts CEMSS	Call Event and Management Signaling Service
CEMSS Subscriber	Call Event and Management Signaling Service Subscriber
1 3-51	
Call Forwarding Originating	Call Forwarding Originating
Call Queuing (NextConnects)	Call Queuing (NextConnects)
Remote CF On DID Lines	Remote Call Forwarding On DID Lines
Call Redirect Acceptance	Call Redirection Acceptance
Call Redirection Packet	Call Redirection - Packet
Call Transfer On DID	Call Transfer On DID
Call Waiting	Call Waiting
Call Waiting Cancel	Call Waiting - Cancel
Calling Name Delivery	Calling Name Delivery
Calling Name ID	Calling Name Identification
Clld DN Deliv via 900NXX	Called Directory Number Delivery via 900NXX
Clid DN Deliv via DID	Called Directory Number Delivery via DID
Clig Blig Num Deliv FG B	Calling Billing Number Delivery - FG 8 Protocol
Clig Blig Num Deliv FG D	Calling Billing Number Delivery - FG D Protocol
Clig DN Deliv via BCLID	Calling Directory Number Delivery - via BCLID
Clig DN Deliv via ICLID	Calling Directory Number Delivery - via ICLID
Closed User Groups Pkt	Closed User Groups - Packet
Coin Ph-Post Dial DTMF	Coin Phone With Post Dialing Tone Capability
Computr Assist Call Xfer	Computer Assisted Call Transfer Acceptance
Computr Assist Dialing	Computer Assisted Dialing Acceptance
Conditioning	Conditioning
Coord Voice and Data	Coordinated Voice and Data Acceptance
Cust Originated Trace	Customer Originated Trace
Cut Off On Disconnect	Cut Off On Disconnect
Cxr Select On Rvrs Charg	Carrier Selection On Reverse Charge
DID Load Across WC	DID Load Across Wire Centers
DID Trunk Queuing	DID Trunk Queuing
DNAL Alarm Service	Ameritech - DNAL - Type F - Alarm Service
DNAL Amtch Reconfig Svcs	Ameritech - DNAL - Type E - Ameritech Reconfiguration Service
DNAL Amtch Sw-Cmputr Apl	Ameritech - DNAL - Type G - Ameritech Switch to Computer Applications (ASCAI)
DNAL Ckt Sw Fac Cntrl	Ameritech - DNAL - Type 8 - Circuit Switch Facility Control
DNAL SMDI	Ameritech - DNAL - Type C - Simplified Message Desk Interface (SMDI)
DNAL SMD1-E	Ameritech - DNAL - Type D - Simplified Message Desk Interface-Expanded (SMDI-E)
DNAL STP Access	Ameritech - DNAL - Type A - Signal Transfer Point Access (STP)
DS0-B Subrate Multiplxr	DS0-B Subrate Multiplexing Service
Data Over Voice (DOV)	Data Over Voice (DOV) Service
Default Window Size-Pkt	Default Window Size - Packet
Derived Ch (Monitoring)	Derived Channels (Monitoring)
Dial Call Waiting	Dial Call Waiting
Dialed Num ID/INWATS-DID	Dialed Number Identification via INWATS to DID
Dir Call Pickup w/Barge	Directed Call Pickup With Barge-In

Direct Call Pickup w/oBarge   Directed Call Pickup Without Barge-In	Generic Name of Service	Generic Name of Service
Direct Call Pickup Wibarge Direct Call Packet Direct Current (MT3) Dist Ring Term Screen Distinctive Ringing Distinctive Ringing Distinctive Ringing Easy Access Ethernet Port Over SONET Extended Superframe Cond Fast Select Request Pit Fast Select Request Pit Fast Select Request Pit Faster Signaling On DID Flexible ANI Flow Contr Param Neg-Pkt Frame Relay Service High Cap Dig Handoff Svc Hot Line Hunt Groups Packet Hunt Groups Packet Hunt Groups Packet Logical Channels-Pit Logical Channels-Pit Logical Channels-Pit Logical Channels-Pit Logical Channels-Pit Logical Channels-Pit MLHG CO Announcements MLHG Overflow MUH Dev Coll Pick Pick Mulliline Hunt Group - Overflow Mulliline Hunt Group - Uniform Call Distribution Line Hunting MLHG UCD With Queuing MWI - Packet Access MWI Activation (Audible) MWI Activation (Audible) MWI Activation (Audible) MWA Activation (Audible) MWA Activation (Audible) MWA Activation (Audible) MWA Seg Desk (SMDI) Monthly Call Desk Expand Multiplex-Ina Mult		TO THE RESIDENCE OF THE PROPERTY OF THE PROPER
Direct Call Packet   Direct Current (MT3)   Direct Current (MT3)   Direct Current (MT3)   Direct Current (MT3)   Distinctive Current (MT3)   Distinctive Ringing - Terminating Screening   Distinctive Ringing   Distinctive Ringing   Easy Access   Easy Access   Easy Access   Easy Access   Easy Access   Easy Access   Ethernet Port Over SONET   Ethernet Port Over SONET   Ethernet Port Over SONET   Ethernet Ports Over SONET   Ethernet Ports Over SONET   Ethernet Ports Over SONET   Ethernet Ports Over SONET   Extended Superframe Conditioning   Fast Select Accept Pkt   Fast Select Request - Packet   Fast Select Request		Directed Call Pickup Without Barge-In
Direct Current (MT3)   Direct Current (MT3)   Dist Ring Term Screen   Distinctive Ringing		
Distinctive Alert Distinctive Ringing - Terminating Screening Distinctive Ringing Distinctive Ringing Distinctive Ringing Easy Access Esternet Port Over SONET Extended Superframe Cond Fast Select Accept Pkt Fast Select Accept Pkt Fast Select Request Packet Initial Address Message Logical Channel Layout - Packet Multid Access to Each Port Multiline Hunt Group - O. Announcements Multid Overflow Multiline Hunt Group - O. Announcements Multid Use Message Waiting Indicator (MWI) - Ability To Receive Audible Message Waiting MWI ATR Audible Msg Wig Message Waiting Indicator (MWI) - Ability To Receive Audible Message Waiting Indicator (MWI) - Ability To Receive Audible Message Waiting Indicator - Activation (Visual) - Expanded MWI		
Distinctive Alert Distinctive Ringing Distinctive Ringing Easy Access Easy Access Ethernet Port Over SONET Extended Superframe Cond tioning Fast Select Accept Pixt Fast Select Accept Pixt Fast Select Request Pixt Fast Select Request Pixt Fast Select Request Pixt Fast Select Request Packet Faster Signaling On DID Flexible ANI Flow Control Param Neg-Pixt Frame Relay Service Frame Relay Service Frame Relay Service High Cap Dig Handoff Svc Hot Line Hunt Groups Packet Hunt Groups - Packet Inband Signaling Incoming Class Barred - Packet Initial Address Message Logical Chan Layout-Pixt Logical Channels-Pixt Logical Channels-Pixt Logical Channels - Packet Logical Channels-Pixt Multiline Hunt Group - Overflow Multiline Hunt Group - Overflow Multiline Hunt Group - UCD With Queuing MUHG UCD Line Hunting MUHG UCD With Queuing MWI - Packet Access MWI ATR Audible Msg Wtg Message Waiting Indicator (MWI) - Ability To Receive Audible Message Waiting MWI ACT (Visual) Expand MWI Activation (Visual) Message Waiting Indicator - Activation (Audible) MWI Activation (Visual) Message Waiting Indicator - Activation (Visual) MWI Activation (Visual) Message Waiting Indicator - Activation (Visual) MWI Activation (Visual) Message Waiting Indicator - Activation (Visual) MWI Activation (Visual) Message Waiting Indicator - Activation (Visual) MWI Activation (Visual) Message Waiting Indicator - Activation (Visual) MWI Activation (Visual) Message Waiting Indicator - Activation (Visual) Message Waiti		2-4-1/-4 AV 2020 (W 7 201 39)
Distinctive Ringing Easy Access Ethernet Port Over SONET Extended Superframe Cond Fast Select Accept Pkt Fast Select Request Packet Fast Select Request Pkt Fast Select Request Packet Fast Packet Fast Packet Fast Packet Fast Select Request Packet Fast Packet Fast Packet Fast Packet Fast Pack		
Easy Access Ethernet Port Over SONET Ethernet Ports Over SONET Extended Superframe Cond Fast Select Accept Pkt Fast Select Accept Pkt Fast Select Accept Pkt Fast Select Request Packet Fa		
Ethernet Port Over SONET Extended Superframe Cond Extended Superframe Conditioning Fast Select Accept Nt Fast Select Acceptance - Packet Fast Select Request Pkt Fast Select Request - Packet Fast Select Request Pkt Fast Select Request - Packet Faster Signaling On DID Fas		
Extended Superframe Cond Fast Select Accept Pkt Fast Select Request Packet Faster Signaling On DID Flexible ANI Frame Relay Service Frame Relay Service Frame Relay Service High Capacity Digital Hand-Off Service Hot Line Hut Groups Packet Inband Signaling Inband Signaling Inband Signaling Inband Signaling Incoming Calls Barred - Packet Initial Address Message Logical Channels-Pkt Logical Channels-Pkt Logical Channels-Pkt Logical Channels-Pkt Logical Channels-Pkt Logical Channels-Pkt Logical Channels Packet MLHG Access to Each Port Multiline Hunt Group - Individual Access To Each Port In Hunt Group MLHG OVERflow Multiline Hunt Group - Overflow Multiline Hunt Group - Overflow Multiline Hunt Group - UCD With Queuing MLHG UCD Line Hunting Multiline Hunt Group - UCD With Queuing MWI - Packet Access Message Waiting Indicator (MWI) - Ability To Receive Audible Message Waiting MWI ATR Visual Msg Wtg Message Waiting Indicator Activation (Audible) - Expanded MWI Activation (Visual) Message Waiting Indicator - Activation (Audible) Message Waiting Indicator - Activation (Visual) - Expanded MWI Activation (Visual) Message Waiting Indicator - Audible/Visual Make Busy Key Moculloh Loop (LS2) Message Desk (SMDI) Monthly Call Detail Rec Monthly Call Detail Res Multiplexing - T1 Transport - 1.544 Mbps-Trunk Side		
Fast Select Accept Pkt Fast Select Request Pkt Fast Select Request Pkt Fast Select Request - Packet Faster Signaling On DID Flexible ANI Flow Contr Param Neg-Pkt Frame Relay Service Frame Relay Service High Cap Dig Handoff Svc Hot Line Hunt Groups Packet Initial Address Message Initial Address Message Logical Chan Layout-Pkt Logical Channels-Pkt Logical Channels-Pkt MLHG Oc Announcements MLHG Oc Announcements MLHG UCD With Queuing MMH De UCD With Queuing MMH ATR Audible Msg Wtg MWI ATR Audible Msg Wtg MWI ATR Visual Msg Wtg MWI Act (Audible) Expand MWI Act (Visual) Expand MWI Act (Visual) Expand MWI Act (Visual) Expand MMA Ressage Pack (SMDI) Message Desk (SMDI)		
Fast Select Request Pkt Faster Signaling On DID Faster Signaling On DID Faster Signaling On DID Flexible ANI Flow Control Parameter Negotiation - Packet Frame Relay Service High Cap Dig Handoff Svc Hot Line Hot Line Hunt Groups Packet Inband Signaling Incoming Cls Barred-Pkt Initial Address Message Initial Address Message Initial Address Message Logical Chan Layout-Pkt Logical Channel Layout - Packet Logical Channels-Pkt Multiline Hunt Group - Undividual Access To Each Port In Hunt Group MLHG CO Announcements MLHG Overflow Multiline Hunt Group - Undividual Access To Each Port In Hunt Group MLHG UCD With Queuing MWI - Packet Access MWI ATR Audible Msg Wtg Message Waiting Indicator (MWI) - Ability To Receive Audible Message Waiting MWI At (Audible) Expand MWI Act (Audible) Expand MWI Act (Visual) Expand MWI Act (Visual) Expand MWI Activation (Audible) Message Waiting Indicator - Activation (Visual) Message Waiting Indicator - Activation (Visual) Message Waiting Indicator - Audible/Visual Message Waiting Indicator - Audible/Visual Message Waiting Indicator - Activation (Visual) Message Desk (SMDI) Message Desk (SMDI) Monthly Call Detail Rec Monthly Call Detail Rec Molitiplexing - T1 Transport - 1.544 Mbps-Line Side Mylt-T1-1.544 Mbps-Trunk Message Desk (SMDI)		
Faster Signaling On DID Flexible ANI Information Digits Flow Contr Param Neg-Pkt Frame Relay Service High Cap Dig Handoff Svc Hot Line Hot Line Hot Line Hot Line Hourt Groups Packet Inband Signaling Incoming Clis Barred-Pkt Initial Address Message Logical Chan Layout-Pkt Logical Channels-Pkt Logical Channels-Packet Multiline Hunt Group - Logividual Access To Each Port In Hunt Group MLHG Overflow MLHG Overflow Multiline Hunt Group - Uniform Call Distribution Line Hunting MLHG UCD With Queuing MWI - Packet Access MWI ATR Audible Msg Wtg Message Waiting Indicator (MWI) - Ability To Receive Audible Message Waiting MWI Atr Visual Msg Wtg Message Waiting Indicator (MWI) - Ability To Receive Audible Message Waiting MWI Act (Audible) Expand Message Waiting Indicator (Activation(Audible) - Expanded MWI Activation (Audible) Message Waiting Indicator - Activation (Visual) Message Desk (SMDI) Message Desk (SMDI) Message Desk (SMDI) Monthly Call Detail Rec Mplx-T1-1.544Mbps-Line Multiplexing - T1 Transport - 1.544 Mbps-Line Side Message Desk (SMDI)		
Flexible ANI Flexible ANI Information Digits Flow Contr Param Neg-Pkt Flow Control Parameter Negotiation - Packet Frame Relay Service Frame Relay Service High Cap Dig Handoff Svc High Capacity Digital Hand-Off Service Hot Line Hot Line Hunt Groups Packet Hunt Groups - Packet Inband Signaling Inband Signaling Incoming Cls Barred-Pkt Incoming Calls Barred - Packet Initial Address Message Initial Address Message Logical Chan Layout-Pkt Logical Channel Layout - Packet Logical Channels-Pkt Uogical Channels - Packet MLHG Access to Each Port Multiline Hunt Group - Individual Access To Each Port In Hunt Group MLHG O Announcements Multiline Hunt Group - O. Announcements MLHG UCD Line Hunting Multiline Hunt Group - Uniform Call Distribution Line Hunting MLHG UCD With Queuing Multiline Hunt Group - UCD With Queuing MWI - Packet Access Message Waiting Indicator - Packet Access MWI ATR Audible Msg Wtg Message Waiting Indicator (MWI) - Ability To Receive Audible Message Waiting MWI At (Audible) Expand Message Waiting Indicator Activation (Audible) - Expanded MWI Act (Audible) Expand Message Waiting Indicator - Activation (Audible) MWI Activation (Visual) Message Waiting Indicator - Activation (Audible) MWI Activation (Visual) Message Waiting Indicator - Activation (Audible) MWI Activation (Visual) Message Waiting Indicator - Activation (Audible) MWI Activation (Visual) Message Waiting Indicator - Activation (Audible) MWI Activation (Visual) Message Waiting Indicator - Activation (Audible) MWI Activation (Visual) Message Waiting Indicator - Activation (Audible) MWI Audible/Visual Message Waiting Indicator - Activation (Audible) MWI Audible/Visual Message Waiting Indicator - Activation (Visual) MWI Audible/Visual Message Desk (SMDI) Morthly Call Detail Rec Monthly Call Detail Rec Multiplexing - T1 Transport - 1.544 Mbps-Line Side	The state of the s	
Flow Contr Param Neg-Pkt Frame Relay Service High Cap Dig Handoff Svc Hot Line Hot Line Hot Line Hot Groups Packet Initial Address Message Logical Chan Layout-Pkt Logical Channels-Pkt MLHG CO Announcements MLHG CO Announcements MLHG UCD Line Hunting MLHG UCD With Queuing MWI ATR Audible Msg Wtg MWI ATR Visual Msg Wtg MWI ATR Visual Msg Wtg MWI At (Audible) Expand MWI Act (Audible) Expand MWI Act (Visual) Expand MWI Act Visual Msg Wtg MWI Act Visual Msg Wtg MWI Act Audible Msg Message Waiting Indicator Activation (Visual) MWI Audible/Visual MAKE Busy Key MCCullon Loop (LS2) Message Desk (SMDI) Message Desk (SMDIE)		
Frame Relay Service High Cap Dig Handoff Svc Hot Line Hot Line Hot Line Hot Line Hot Lore Hot Line Hot Line Hot Line Hot Lore Hot Line Hot Croups - Packet Inband Signaling Incoming Cls Barred - Packet Logical Channels-Packet Logical Channels-Packet Logical Channels - Packet Mill God Announcements Milline Hunt Group - Individual Access To Each Port In Hunt Group Milline Hunt Group - Overflow Milline Hunt Group - Overflow Milline Hunt Group - Overflow Milline Hunt Group - Urol With Queuing Message Waiting Indicator (MWI) - Ability To Receive Audible Message Waiting Milline Hunt Group - Urol With Queuing Milline Hunt Group - Urol With Queuing Milline Hunt Group - Urol With Queuing Message Waiting Indicator Activation(Visual) - Expanded Milline Hunt Group - Urol With Queuing Message Waiting Indicator Activation (Visual) - Expanded Milline Hunt Group - Urol With Queuing Milline Hunt Group - Urol With Qu	SE STANDARD CONTRACTOR STANDARD	
High Cap Dig Handoff Svc Hot Line Hot Groups Packet Hinting Gignating Incoming Cls Barred-Pkt Initial Address Message Logical Chan Layout-Pkt Logical Channels-Pkt MLHG Access to Each Port MLHG Access to Each Port MLHG CO Announcements Multiline Hunt Group - Individual Access To Each Port In Hunt Group MLHG UCD With Queuing MILHG UCD With Queuing MWI - Packet Access MWI ATR Audible Msg Wtg MWI ATR Visual Msg Wtg MWI Act (Audible) Expand MWI Act (Audible) Expand MWI Act (Visual) Expand MWI Act (Visual) Expand MWI Act (Visual) Expand MWI Activation (Audible) MWI Activation (Visual) MWI Activation (Visual) MWI Activation (Visual) Message Waiting Indicator - Activation (Audible) MWI Activation (Visual) Message Waiting Indicator - Activation (Visual) Message Desk (SMDI) Message Desk (SMDI) Monthly Call Detail Rec Monthly Call Detail Recording Multiplexing - T1 Transport - 1.544 Mbps-Line Side Miltiplexing - T1 Transport - 1.544 Mbps-Line Side Miltiplexing - T1 Transport - 1.544 Mbps-Line Side Message Desk (SMDI) Message Desk (SMDI) - Expanded		
Hot Line Hut Groups Packet Hunt Groups - Packet Hunt Groups - Packet Inband Signaling Incoming Cls Barred - Pkt Initial Address Message Logical Chan Layout - Pkt Logical Channels - Pkt Logical Channels - Pkt Logical Channels - Packet Logical Channels - Packet Logical Channels - Packet MLHG Access to Each Port Multiline Hunt Group - Individual Access To Each Port In Hunt Group MLHG CO Announcements Multiline Hunt Group - Overflow Multiline Hunt Group - Overflow Multiline Hunt Group - Uniform Call Distribution Line Hunting MLHG UCD Line Hunting Multiline Hunt Group - Uniform Call Distribution Line Hunting MLHG UCD With Queuing MWI - Packet Access Mwi ATR Audible Msg Wtg Message Waiting Indicator (MWI) - Ability To Receive Audible Message Waiting MWI ATR Visual Msg Wtg Message Waiting Indicator (MWI) - Ability To Receive Visual Message Waiting MWI Act (Audible) Expand Message Waiting Indicator Activation(Audible) - Expanded MWI Act (Visual) Expand Message Waiting Indicator - Activation (Visual) - Expanded MWI Activation (Visual) Message Waiting Indicator - Activation (Visu		
Hunt Groups - Packet Inband Signaling Incoming Cls Barred-Pkt Initial Address Message Logical Chan Layout-Pkt Logical Channels-Pkt Logical Channels-Pkt MLHG Access to Each Port Multiline Hunt Group - Packet Multiline Hunt Group - Overflow MLHG Overflow Multiline Hunt Group - Uniform Call Distribution Line Hunting MLHG UCD Line Hunting Multiline Hunt Group - UCD With Queuing MWI - Packet Access MWI ATR Audible Msg Wtg MWI ATR Visual Msg Wtg MWI Act (Audible) Expand MWI Act (Visual) Expand MWI Act (Visual) Expand MWI Activation (Audible) MWI Activation (Visual) MWI Activation (Layout - Packet (Access) MWI Activation (Visual)		
Inband Signaling Incoming Cls Barred-Pkt Initial Address Message Logical Chan Layout-Pkt Logical Channels - Packet MLHG Access to Each Port Multiline Hunt Group - Individual Access To Each Port In Hunt Group MLHG CO Announcements Multiline Hunt Group - Overflow Multiline Hunt Group - Overflow Multiline Hunt Group - Uniform Call Distribution Line Hunting Multiline Hunt Group - Uniform Call Distribution Line Hunting Multiline Hunt Group - Uniform Call Distribution Line Hunting MWI - Packet Access Message Waiting Indicator - Packet Access MWI ATR Audible Msg Wtg Message Waiting Indicator (MWI) - Ability To Receive Audible Message Waiting MWI ACt (Audible) Expand Message Waiting Indicator Activation(Audible) - Expanded MWI Act (Visual) Expand Message Waiting Indicator Activation (Visual) - Expanded MWI Activation (Audible) Message Waiting Indicator - Activation (Audible) Message Waiting Indicator - Activation (Visual) Message Desk (SMDI) Monthly Call Detail Rec Monthly Call Detail Recording Multiplexing - T1 Transport - 1.544 Mbps-Line Side Mylx-T1-1.544Mbps-Line Multiplexing - T1 Transport - 1.544 Mbps-Trunk Side Message Desk Expand (SMDIE) Message Desk (SMDI) - Expanded		
Incoming CIs Barred - Pkt Initial Address Message Logical Chan Layout - Pkt Logical Channel Layout - Packet Logical Channels-Pkt Logical Channels-Pkt Logical Channels - Packet Logical Channels - Packet MLHG Access to Each Port Multiline Hunt Group - Individual Access To Each Port In Hunt Group MLHG CO Announcements MLHG Overflow Multiline Hunt Group - Overflow Multiline Hunt Group - Uniform Call Distribution Line Hunting Multiline Hunt Group - Uniform Call Distribution Line Hunting MUHG UCD Line Hunting Multiline Hunt Group - UCD With Queuing MWI - Packet Access Message Waiting Indicator - Packet Access MWI ATR Audible Msg Wtg Message Waiting Indicator (MWI) - Ability To Receive Audible Message Waiting MWI Act (Audible) Expand Message Waiting Indicator Activation(Audible) - Expanded MWI Act (Visual) Expand Message Waiting Indicator - Activation (Visual) - Expanded MWI Activation (Audible) Message Waiting Indicator - Activation (Visual) Message Waiting Indicator - Activation (Visual) Message Waiting Indicator - Audible/Visual Message Desk (SMDI) Message Desk (SMDI) Message Desk (SMDI) Monthly Call Detail Recording Multiplexing - T1 Transport - 1.544 Mbps-Line Side Mylx-T1-1.544Mbps-Trunk Multiplexing - T1 Transport - 1.544 Mbps-Trunk Side Message Desk (SMDI) - Expanded		
Initial Address Message Logical Chan Layout-Pkt Logical Channels-Pkt Logical Channels-Pkt Logical Channels - Packet  MLHG Access to Each Port Multiline Hunt Group - Individual Access To Each Port In Hunt Group  MLHG Overflow Multiline Hunt Group - Overflow Multiline Hunt Group - Uniform Call Distribution Line Hunting MLHG UCD Line Hunting Multiline Hunt Group - UCD With Queuing MWI - Packet Access MWI ATR Audible Msg Wtg Message Waiting Indicator (MWI) - Ability To Receive Audible Message Waiting  MWI ATR Visual Msg Wtg Message Waiting Indicator (MWI) - Ability To Receive Visual Message Waiting  MWI Act (Audible) Expand Message Waiting Indicator Activation(Audible) - Expanded MWI Act (Visual) Expand Message Waiting Indicator Activation (Audible) MWI Activation (Audible) MWI Activation (Audible) MWI Activation (Visual) MWI Activation (Visual) Message Waiting Indicator - Activation (Visual) MWI Activation (Visual) Message Waiting Indicator - Activation (Visual) MWI Activation (Visual) Message Waiting Indicator - Activation (Visual) Message Waiting Indicator - Audible/Visual Message Desk (SMDI) Monthly Call Detail Rec Mplx-T1-1.544Mbps-Line Multiplexing - T1 Transport - 1.544 Mbps-Trunk Side Mssg Desk Expand (SMDIE) Message Desk (SMDI) - Expanded		
Logical Channels-Pkt Logical Channels - Packet Logical Channels - Packet Logical Channels - Packet MLHG Access to Each Port Multiline Hunt Group - Individual Access To Each Port In Hunt Group MLHG CO Announcements Multiline Hunt Group - O.O. Announcements Multiline Hunt Group - Overflow Multiline Hunt Group - Uniform Call Distribution Line Hunting MULT Group - Uniform Call Distribution Line Hunting MULT Group - UCD With Queuing MULT Packet Access Message Waiting Indicator - Packet Access MWI ATR Audible Msg Wtg Message Waiting Indicator (MWI) - Ability To Receive Audible Message Waiting MWI ATR Visual Msg Wtg Message Waiting Indicator (MWI) - Ability To Receive Visual Message Waiting MWI Act (Audible) Expand Message Waiting Indicator Activation(Audible) - Expanded MWI Act (Visual) Expand Message Waiting Indicator Activation (Visual) - Expanded MWI Activation (Audible) Message Waiting Indicator - Activation (Visual) MWI Activation (Visual) Message Waiting Indicator - Activation (Visual) Message Waiting Indicator - Audible/Visual Message Desk (SMDI) Message Desk (SMDI) Message Desk (SMDI) Monthly Call Detail Rec Mplx-T1-1.544Mbps-Line Multiplexing - T1 Transport - 1.544 Mbps-Line Side Mplx-T1-1.544Mbps-Trunk Multiplexing - T1 Transport - 1.544 Mbps-Trunk Side Message Desk (SMDI) - Expanded		
Logical Channels - Pkt  MLHG Access to Each Port  Multiline Hunt Group - Individual Access To Each Port In Hunt Group  MLHG CO Announcements  Multiline Hunt Group - C.O. Announcements  Multiline Hunt Group - Overflow  Multiline Hunt Group - Uniform Call Distribution Line Hunting  MLHG UCD Line Hunting  Multiline Hunt Group - UCD With Queuing  MUI - Packet Access  Message Waiting Indicator - Packet Access  Message Waiting Indicator (MWI) - Ability To Receive Audible Message  Waiting  MWI ATR Visual Msg Wtg  Message Waiting Indicator (MWI) - Ability To Receive Visual Message  Waiting  MWI Act (Audible) Expand  Message Waiting Indicator Activation(Audible) - Expanded  MWI Act (Visual) Expand  Message Waiting Indicator Activation (Visual) - Expanded  MWI Activation (Audible)  Message Waiting Indicator - Activation (Visual) - Expanded  MWI Activation (Visual)  Message Waiting Indicator - Activation (Visual)  Message Waiting Indicator - Activation (Visual)  MWI Audible/Visual  Message Waiting Indicator - Audible/Visual  Message Desk (SMDI)  Message Desk (SMDI)  Monthly Call Detail Rec  Multiplexing - T1 Transport - 1.544 Mbps-Line Side  Mplx-T1-1.544Mbps-Line  Multiplexing - T1 Transport - 1.544 Mbps-Line Side  Message Desk Expand (SMDIE)  Message Desk (SMDI) - Expanded		
MLHG Access to Each Port MLHG CO Announcements MLHG Overflow MLHG UCD Line Hunting MLHG UCD With Queuing MWI - Packet Access MWI ATR Audible Msg Wtg MWI ATR Visual Msg Wtg MWI Act (Audible) Expand MWI Act (Visual) Expand MWI Act (Visual) Expand MWI Activation (Audible) MWI Activation (Visual) MWI Activation (Audible) MWI Activation (Audible) MWI Activation (Audible) MWI Activation (Visual) MWI Activation (Visua		
MLHG CO Announcements  MLHG Overflow  MUHG UCD Line Hunting  MUHG UCD With Queuing  MUHG Access  MUHG Act (Audible Msg Wtg  Message Waiting Indicator (MWH) - Ability To Receive Audible Message  Waiting  MUHG (Audible) Expand  MUHG (Audible) Expand  MUHG Act (Visual) Expand  MUHG Act (Visual) Expand  MUHG Act (Visual) Expand  MUHG Activation (Audible)  MUHG Activation (Visual)  MUHG Activation (Audible)  MUHG		
MLHG Overflow MLHG UCD Line Hunting Multiline Hunt Group - Uniform Call Distribution Line Hunting MLHG UCD With Queuing Multiline Hunt Group - UCD With Queuing MWI - Packet Access Message Waiting Indicator - Packet Access MWI ATR Audible Msg Wtg Message Waiting Indicator (MWI) - Ability To Receive Audible Message Waiting MWI ATR Visual Msg Wtg Message Waiting Indicator (MWI) - Ability To Receive Visual Message Waiting MWI Act (Audible) Expand Message Waiting Indicator Activation(Audible) - Expanded MWI Act (Visual) Expand Message Waiting Indicator Activation(Visual) - Expanded MWI Activation (Audible) Message Waiting Indicator - Activation (Audible) MWI Activation (Visual) Message Waiting Indicator - Activation (Visual) Message Waiting Indicator - Activation (Visual) Message Waiting Indicator - Audible/Visual Message Desk (SMDI) Message Desk (SMDI) Message Desk (SMDI) Monthly Call Detail Recording Multiplexing - T1 Transport - 1.544 Mbps-Line Side Miltiplexing - T1 Transport - 1.544 Mbps-Trunk Side Message Desk (SMDI) - Expanded		
MLHG UCD Line Hunting MLHG UCD With Queuing MWI - Packet Access MWI - Packet Access MWI ATR Audible Msg Wtg Message Waiting Indicator (MWI) - Ability To Receive Audible Message Waiting MWI - Ability To Receive Visual Message Waiting MWI ATR Visual Msg Wtg Message Waiting Indicator (MWI) - Ability To Receive Visual Message Waiting MWI Act (Audible) Expand Message Waiting Indicator Activation(Audible) - Expanded MWI Act (Visual) Expand Message Waiting Indicator Activation(Visual) - Expanded MWI Activation (Audible) Message Waiting Indicator - Activation (Visual) Message Waiting Indicator - Audible/Visual Message Waiting Indicator - Activation (Visual) Message Waiting In		
MLHG UCD With Queuing MWI - Packet Access Message Waiting Indicator - Packet Access MWI ATR Audible Msg Wtg Message Waiting Indicator (MWI) - Ability To Receive Audible Message Waiting MWI ATR Visual Msg Wtg Message Waiting Indicator (MWI) - Ability To Receive Visual Message Waiting MWI Act (Audible) Expand Message Waiting Indicator Activation (Audible) - Expanded MWI Act (Visual) Expand Message Waiting Indicator Activation (Visual) - Expanded MWI Activation (Audible) Message Waiting Indicator - Activation (Visual) - Expanded MWI Activation (Visual) Message Waiting Indicator - Activation (Visual) MWI Audible/Visual Message Waiting Indicator - Audible/Visual Make Busy Key McCulloh Loop (LS2) Message Desk (SMDI) Message Desk (SMDI) Monthly Call Detail Rec Monthly Call Detail Rec Monthly Call Detail Reco Moltiplexing - T1 Transport - 1.544 Mbps-Line Side Mplx-T1-1.544Mbps-Trunk Multiplexing - T1 Transport - 1.544 Mbps-Trunk Side Message Desk (SMDI) - Expanded		
MWI - Packet Access  MWI ATR Audible Msg Wtg  Message Waiting Indicator (MWI) - Ability To Receive Audible Message Waiting  MWI ATR Visual Msg Wtg  Message Waiting Indicator (MWI) - Ability To Receive Visual Message Waiting  MWI Act (Audible) Expand  Message Waiting Indicator Activation(Audible) - Expanded  MWI Act (Visual) Expand  Message Waiting Indicator Activation(Visual) - Expanded  MWI Activation (Audible)  Message Waiting Indicator - Activation (Visual) - Expanded  MWI Activation (Visual)  Message Waiting Indicator - Activation (Visual)  MWI Audible/Visual  Message Waiting Indicator - Audible/Visual  Make Busy Key  McCulloh Loop (LS2)  Message Desk (SMDI)  Message Desk (SMDI)  Monthly Call Detail Rec  Monthly Call Detail Recording  Multiplexing - T1 Transport - 1.544 Mbps-Line Side  Mylx-T1-1.544Mbps-Trunk  Multiplexing - T1 Transport - 1.544 Mbps-Trunk Side  Message Desk (SMDI) - Expanded		
MWI ATR Audible Msg Wtg  Message Waiting Indicator (MWI) - Ability To Receive Audible Message Waiting  Message Waiting Indicator (MWI) - Ability To Receive Visual Message Waiting  MWI Act (Audible) Expand  Message Waiting Indicator Activation(Audible) - Expanded  MWI Act (Visual) Expand  Message Waiting Indicator Activation (Visual) - Expanded  MWI Activation (Audible)  Message Waiting Indicator - Activation (Audible)  MWI Activation (Visual)  Message Waiting Indicator - Activation (Visual)  Message Waiting Indicator - Activation (Visual)  Message Waiting Indicator - Audible/Visual  Make Busy Key  McCulloh Loop (LS2)  Message Desk (SMDI)  Monthly Call Detail Rec  Monthly Call Detail Recording  Multiplexing - T1 Transport - 1.544 Mbps-Line Side  Miltiplexing - T1 Transport - 1.544 Mbps-Trunk Side  Message Desk (SMDI) - Expanded		
MWI ATR Visual Msg Wtg Message Waiting Indicator (MWI) - Ability To Receive Visual Message Waiting  MWI Act (Audible) Expand Message Waiting Indicator Activation(Audible) - Expanded MWI Act (Visual) Expand Message Waiting Indicator Activation (Visual) - Expanded MWI Activation (Audible) Message Waiting Indicator - Activation (Audible) MWI Activation (Visual) Message Waiting Indicator - Activation (Visual) MWI Audible/Visual Message Waiting Indicator - Audible/Visual Make Busy Key McCulloh Loop (LS2) MecCulloh Loop (LS2) Message Desk (SMDI) Monthly Call Detail Rec Monthly Call Detail Rec Monthly Call Detail Recording MpIx-T1-1.544Mbps-Line Multiplexing - T1 Transport - 1.544 Mbps-Line Side MpIx-T1-1.544Mbps-Trunk Multiplexing - T1 Transport - 1.544 Mbps-Trunk Side Mssg Desk Expand (SMDIE) Message Desk (SMDI) - Expanded		
MWi Act (Audible) Expand Message Waiting Indicator Activation(Audible) - Expanded MWi Act (Visual) Expand Message Waiting Indicator Activation(Visual) - Expanded MWi Activation (Audible) Message Waiting Indicator - Activation (Audible) MWi Activation (Visual) Message Waiting Indicator - Activation (Visual) MWI Audible/Visual Message Waiting Indicator - Audible/Visual Make Busy Key Make Busy Key McCulloh Loop (LS2) McCulloh Loop (LS2) Message Desk (SMDI) Message Desk (SMDI) Monthly Call Detail Rec Monthly Call Detail Recording Mplx-T1-1.544Mbps-Line Multiplexing - T1 Transport - 1.544 Mbps-Line Side Mplx-T1-1.544Mbps-Trunk Multiplexing - T1 Transport - 1.544 Mbps-Trunk Side Mssg Desk Expand (SMDIE) Message Desk (SMDI) - Expanded		Waiting
MWI Act (Visual) Expand Message Waiting Indicator Activation (Visual) - Expanded  MWI Activation (Audible) Message Waiting Indicator - Activation (Audible)  MWI Activation (Visual) Message Waiting Indicator - Activation (Visual)  MWI Audible/Visual Message Waiting Indicator - Audible/Visual  Make Busy Key Make Busy Key  McCulloh Loop (LS2) McCulloh Loop (LS2)  Message Desk (SMDI) Message Desk (SMDI)  Monthly Call Detail Rec Monthly Call Detail Recording  Mplx-T1-1.544Mbps-Line Multiplexing - T1 Transport - 1.544 Mbps-Line Side  Mssg Desk Expand (SMDIE) Message Desk (SMDI) - Expanded	MWI ATR Visual Msg Wtg	
MWI Act (Visual) Expand Message Waiting Indicator Activation (Visual) - Expanded  MWI Activation (Audible) Message Waiting Indicator - Activation (Audible)  MWI Activation (Visual) Message Waiting Indicator - Activation (Visual)  MWI Audible/Visual Message Waiting Indicator - Audible/Visual  Make Busy Key Make Busy Key  McCulloh Loop (LS2) McCulloh Loop (LS2)  Message Desk (SMDI) Message Desk (SMDI)  Monthly Call Detail Rec Monthly Call Detail Recording  Mplx-T1-1.544Mbps-Line Multiplexing - T1 Transport - 1.544 Mbps-Line Side  Mssg Desk Expand (SMDIE) Message Desk (SMDI) - Expanded	MWi Act (Audible) Expand	
MWI Activation (Audible)Message Waiting Indicator - Activation (Audible)MWI Activation (Visual)Message Waiting Indicator - Activation (Visual)MWI Audible/VisualMessage Waiting Indicator - Audible/VisualMake Busy KeyMake Busy KeyMcCulloh Loop (LS2)McCulloh Loop (LS2)Message Desk (SMDI)Message Desk (SMDI)Monthly Call Detail RecMonthly Call Detail RecordingMplx-T1-1.544Mbps-LineMultiplexing - T1 Transport - 1.544 Mbps-Line SideMplx-T1-1.544Mbps-TrunkMultiplexing - T1 Transport - 1.544 Mbps-Trunk SideMssg Desk Expand (SMDIE)Message Desk (SMDI) - Expanded		Message Waiting Indicator Activation(Visual) - Expanded
MWI Activation (Visual)Message Waiting Indicator - Activation (Visual)MWI Audible/VisualMessage Waiting Indicator - Audible/VisualMake Busy KeyMake Busy KeyMcCulloh Loop (LS2)McCulloh Loop (LS2)Message Desk (SMDI)Message Desk (SMDI)Monthly Call Detail RecMonthly Call Detail RecordingMplx-T1-1.544Mbps-LineMultiplexing - T1 Transport - 1.544 Mbps-Line SideMplx-T1-1.544Mbps-TrunkMultiplexing - T1 Transport - 1.544 Mbps-Trunk SideMssg Desk Expand (SMDIE)Message Desk (SMDI) - Expanded		
MWI Audible/Visual Make Busy Key McCulloh Loop (LS2) McSage Desk (SMDI) Message Desk (SMDI) Monthly Call Detail Rec MpIx-T1-1.544Mbps-Line MpIx-T1-1.544Mbps-Trunk Multiplexing - T1 Transport - 1.544 Mbps-Trunk Side Mssg Desk Expand (SMDIE) Message Desk (SMDI) - Expanded		
Make Busy KeyMake Busy KeyMcCulloh Loop (LS2)McCulloh Loop (LS2)Message Desk (SMDI)Message Desk (SMDI)Monthly Call Detail RecMonthly Call Detail RecordingMplx-T1-1.544Mbps-LineMultiplexing - T1 Transport - 1.544 Mbps-Line SideMplx-T1-1.544Mbps-TrunkMultiplexing - T1 Transport - 1.544 Mbps-Trunk SideMssg Desk Expand (SMDIE)Message Desk (SMDI) - Expanded		
McCulloh Loop (LS2)McCulloh Loop (LS2)Message Desk (SMDI)Message Desk (SMDI)Monthly Call Detail RecMonthly Call Detail RecordingMplx-T1-1.544Mbps-LineMultiplexing - T1 Transport - 1.544 Mbps-Line SideMplx-T1-1.544Mbps-TrunkMultiplexing - T1 Transport - 1.544 Mbps-Trunk SideMssg Desk Expand (SMDIE)Message Desk (SMDI) - Expanded		Make Busy Key
Message Desk (SMDI)Message Desk (SMDI)Monthly Call Detail RecMonthly Call Detail RecordingMplx-T1-1.544Mbps-LineMultiplexing - T1 Transport - 1.544 Mbps-Line SideMplx-T1-1.544Mbps-TrunkMultiplexing - T1 Transport - 1.544 Mbps-Trunk SideMssg Desk Expand (SMDIE)Message Desk (SMDI) - Expanded		
Monthly Call Detail Rec  Monthly Call Detail Recording  Mplx-T1-1.544Mbps-Line  Multiplexing - T1 Transport - 1.544 Mbps-Line Side  Mplx-T1-1.544Mbps-Trunk  Multiplexing - T1 Transport - 1.544 Mbps-Trunk Side  Mssg Desk Expand (SMDIE)  Message Desk (SMDI) - Expanded		
Mplx-T1-1.544Mbps-Line Multiplexing - T1 Transport - 1.544 Mbps-Line Side Mplx-T1-1.544Mbps-Trunk Multiplexing - T1 Transport - 1.544 Mbps-Trunk Side Mssg Desk Expand (SMDIE) Message Desk (SMDI) - Expanded		Monthly Call Detail Recording
Mplx-T1-1.544Mbps-Trunk Multiplexing - T1 Transport - 1.544 Mbps-Trunk Side  Mssg Desk Expand (SMDIE) Message Desk (SMDI) - Expanded		
Mssg Desk Expand (SMDIE) Message Desk (SMDI) - Expanded		
the state of the s		
Mait Mak Adolf Olf-Ekt   Maitiple Network Addless/Edit - Eschet	Mult Ntwk Addr/Port-Pkt	Multiple Network Address/Port - Packet
Multiline Hunt Group Multiline Hunt Group		

Generic Name of Service	Generic Name of Service
Abbreviated Name	Full Name
Multiplexing-Digital	Muttiplexing - Digital
Name of Calling Party	Delivery of Calling Party Name
Network Reconfiguration	Network Reconfiguration
Number Forwarding	Number Forwarding
Op Svcs – Auto Call Dist	Operator Services - Automatic Call Distribution
Order Entry Service	Order Entry Service
Outgoing Cls Barred-Pkt	Outgoing Calls Barred - Packet
Perm Virtual Ckt-Pkt	Permanent Virtual Circuit - Packet
Premier Mssg Svc Interfo	Premier Messaging Services Interface
Preselect for Data Svcs	Preselection for Data Services
Privacy +	Privacy + (Plus)
Priority Service Install	Priority Installation Service
Redirecting Name Deliv	Redirecting Name Delivery
Redirecting Num Deliv	Redirecting Number Delivery
Remote Access Service	Remote Access Service
Remote Call Forwarding	Remote Call Forwarding
Rev 8llg On Ckt Acc	Reverse Billing On Circuit Switched Access
Rev Chg Reg Optn-Pkt	Reverse Charge Request Option (Packet)
Reverse Chg Accept Pkt	Reverse Change Acceptance - Packet
Route Diversity	Route Diversity
Secondary Ch Capability	Secondary Channel Capability
Security Screen	Security Screen
Selective Call Forward'g	Selective Call Forwarding
Selective Call Rejection	Selective Call Rejection
Selective Call Waiting	Selective Call Waiting
Shared Speed Calling	Shared Speed Calling
Single Num Acc-Mult Loch	Single Number Access for Multiple Locations
Speed Calling	Speed Calling
SS7MWI	Signaling System 7 Message Waiting Interface
Statistical Multiplexer	Statistical Multiplexer
Surrogate Client Number	Surrogate Client Number
Svc Code Denial Ln/Hunt	Service Code Denial On Line Or Hunt Group
Switched 56 Kilobit Svc	Switched 56 Kuobit Service
Tandem Routing	Tandem Routing
Third Numb Bill Inhibitd	Third Number Billing Inhibited
Three Way Call Transfer	Three Way Call Transfer
Three Way Calling	Three Way Calling
Traffic Data Reports	Traffic Data Reports
Trans Imprv-Ckt Sw Svcs	Transmission Improvement for Circuit Switched Services
Trunk Side Access Facil	Trunk Side Access Facility
JEN Service – 9-1-1	Universal Emergency Number Service - 9-1-1
Unif 7D Acc Num Overlay	Uniform 7 Digit Access Number via Overlay Networking
Unif 7D Acc Num RCF	Uniform 7 Digit Access Number - Remote Call Forwarding
User Initd Diagnostics	User Initiated Diagnostics
Ver Intgrty Subscr Lines	Verify Integrity of Subscriber Lines
Versanet	Versanet
Warm Line	Warm Line
Wireless Extension	Wireless Extension

9/30/10

### **BELL OPERATING COMPANIES**

### **ONA Special Report #5 Update**

## Appendix A & Appendix B

**SEPTEMBER 30, 2010** 

	APPENDIX A: RELATIONSHIP BETWEEN ESP REQUESTS FOR NETWORK	
	PABILITIES AND ONA SERVICES	
	CALL FORWARITING BUSY LINE/DON'T ANSWER	
	ACTIVATION OF CALL FORWARDING VARIABLE WITHOUT CALL COMPLETION	
	Call Forward Don't Answer Interoffice	
	MULTIPLE CALLS FORWARDED TO DID INTEROFFICE	
5.	Call Forwarding With Status Information To Answering Bureau	5
6.	ACTIVATION OF CALL FORWARDING VARIABLE WITH CALL COMPLETION	5
	CALL FORWARTING WITH CALL SCREENING.	
	CALL FORWARDING WITH CALL WAITING	
	CALL FORWARDING WITH CALLED AND CALLING NUMBER	
10.	CALL FORWARD DON'T ANSWER WITH VARIABLE RING COUNTS	6
•	CUSTOMER CONTROL OF CFBL/CFDA	6
12.	MONITOR & BARGE IN.	6
13.	SMDI	6
14,	SMDI WITH AUTOMATIC RINGBACK.	6
15.	3-WAY CALL TRANSFER	6
16.	SPEED CALLING	6
17.	REMOTE ACTIVATION OF CUSTOM CALLING SERVICES	7
18.	ESP NOTIFICATION OF ESP'S CLIENT OR BOC CONTROL ACTION	7
19.	CALL DISTRIBUTION FUNCTIONS INCLUDING QUEUE	7
20.	DERIVED LOCAL CHANNELS	7
21.	SCREENING	7
22.	CALLING DIRECTORY NUMBER DELIVERY	7
23.	DELIVERY OF DIALED NUMBER	7
	UNIFORM ABBREVIATED DIALING	
	MULTILINE HUNT GROUPS	
26.	UNLIMITED SIZE HUNT GROUPS	8
	INDIVIDUAL ACCESS TO EACH PORT IN A HUNT GROUP	
	CLASS FEATURES INTEROFFICE	
	SUPPRESSED RINGING	
	TRUNK SIDE ACCESS	
31.	TRUNK SIDE CONNECTION WITH POWER RINGING	9
	ACCESS TO EXTENDED SUPERFRAME DATA CHANNEL	
	TRUNK GROUP MAKE BUSY	
	Message Waiting Indication	
	ANSWER SUPERVISION (CONNECT/DISCONNECT INDICATIONS) - LINE SIDE	
	NIGHT TRANSFER	9
37.	FASTER SIGNALING ON DID	9
	POST DIALING DTMF SIGNALING FROM PAYSTATIONS	
	SELECTED NUMBER REVERSE BILLING RATE PERIOD SPECIFIC	
	SINGLE NUMBER ACCESS FOR MULTIPLE LOCATIONS	
	ABILITY TO NOTIFY OR INTERRUPT A CUSTOMER	
	ABILITY TO RETURN HELD CALL TO CUSTOMER.	
	INTERCONNECTION FOR SPECIALIZED TERMINAL EQUIPMENT	
	PROVISION FOR SHARING AN ESP CLIENT AMONG ESPS	
	CUSTOM SERVICE AREAS	
	STATISTICAL MULTIPLEXER AT CENTRAL OFFICE	
	X.25 INTERFACE TO PACKET SWITCH.	
	X.75 INTERFACE TO PACKET SWITCH	
	ACCESS TO DATA SERVICES	
	B-CHANNEL SWITCHED AND DEDICATED ACCESS	
	D-CHANNEL DATA DELIVERED ON B-CHANNEL	
	MULTIPLE D-CHANNELS ON B-CHANNEL	

53	ESP Access to D-Channel Signaling	1.1
	FEATURE NODE SERVICE INTERFACE (FN/SI)	
	SERVICE CONTROL POINT (SCP) DATABASES	
	TERM SETS AND INBAND SIGNALING ON ANALOG CHANNELS	
	ACCESS TO FUTURE INTELLIGENT FUNCTIONS OF ISDN	
	COMPATIBILITY TO EXISTING TERMINALS.	
29.	MAPPING ANI TO USER ID (X.75)	.12 .12
	EQUAL ACCESS TO EXCHANGE NETWORK SWITCHING AND TRANSMISSION	
	PEAK TRAFFIC HANDLING WITHIN EXCHANGE NETWORK	
	ESP DEFINED DYNAMIC ROUTING	
	COMMON CHANNEL SIGNALING ACCESS	
	DYNAMIC ALLOCATION OF TRANSMISSION CAPACITY	
	PROVISION OF BOC NETWORK STATUS INFORMATION.	
	REAL TIME ACCESS TO EXCHANGE NETWORK TESTING FACILITIES	
	DERIYED CHANNELS THAT COMPLY WITH UL AND NFPA	
	ONE WAY ALARM TRANSMISSION	
	DERIVED CHANNELS COMPATIBLE WITHISDN	
	DIGITAL PRIVATE LINES (DDS)	
	DIAGNOSTIC CHANNEL ON DS0 AND SUBRATE LINES.	
	ERROR DETECTION / ERROR CORRECTION	
	ABILITY TO DETECT Breaks in Telico Line Within 60 Seconds	
	BROADBAND LINK(S) FOR VIDEO TRANSMISSION	
	ABILITY TO RECONFIGURE NETWORKS	
	ROUTE DIVERSITY	
	AUTOMATIC PROTECTION SWITCHING	
	PRIVATE LINE CONDITIONING	
	MULTIPLE MONITORS PER LOOP	
	CLEAR ACCESS TO DATA PORTION OF DERIVED CHANNELS	
	DISTINCTIVE RINGING	
	4-Wire Interconnection/Switching	
	ACCESS TO CLEAR CHANNEL TRANSMISSION	
	USER INITIATED DIAGNOSTICS	
	PASS THROUGH DIAGNOSTICS TO US-12	
87.	INBAND SIGNALING	.15
	BRIDGING	
	MONTHLY DETAILED RECORDING	
90.	AUTOMATIC DISABLEMENT OF CALL WAITING TONE DURING DIALFUP DATA CALL	15
	ENABLE / DISABLE NETWORK DTMF SIGNALING	
92	PASSIVE IN-BAND DTMF TONE TRANSMISSION	16
	EXTEND DTMF TONE SET	
94.	TONE TO DIGITAL TRANSI ATION	16
95.	MULTIPLE CALL FORWARDING	16
	VIRTUAL DIAL TONE	
97.	REMOTE ACCESS TO USER PROGRAMMABLE FUNCTIONS (PACKET)	16
98.	REMOTE SPEED CALL MENU BUILDER (PACKET)	16
99.	SPEED CALL MENU BUILDER (PACKET).	16
100	REMOTE SPEED CALL MENU ACCESS TRANSLATOR (PACKET)	16
101	CARRIER SELECTION ON REVERSE CHARGE	:6
	NETWORK CONTROL BY CUSTOMER FROM CUSTOMER PREMISES	
	REALTIME TRAPPIC USAGE DATA	
	CENTRAL OFFICE ANNOUNCEMENTS	
	NAME & ADDRESS OF THE CALLING PARTY	
	SUPPRESSION OF AUDIBLE CLICK ON CALL FORWARDING (INTEROFFICE)	
	BILLING NUMBER DELIVERY	

108. PRI	IVACY (CLASSES OF NON-P; BLISHED SERVICE)	7
109, Dei	LIVERY OF TRAVELING CLASS MARK	7
110. Ust	ER ID ASSOCIATED WITH CALLING NUMBER AND/OR SERVICE ID CODE	7
	ARM LIN:	
112. CL0	OSED USER GROUP (PACKET)	8
113. FAS	ST SELECT (PACKET)	8
114. Hui	NT GROUP (PACKET)	8
115. CA!	U. REDIRECTION (PACKET)	8
	RECT CALL (PACKET)	
117. PRO	OGRAMMED DEFAULT CALL FORWARDING	8
118. RES	STRICTION OF OUTGOING CALLS (PACKET)	8
	DIX B: INDIVIDUAL REGIONAL COMPANY RESPONSES TO THE 118 ESP	9
MOZOC	······································	1

## 1. Appendix A: Relationship Between ESP Requests for Network Capabilities and ONA Services

The FCC, in its December 22, 1989 Memorandum, Opinion and Order, recognized the 118 requests for network capabilities included in BOC Special Report Number 1 as the nationally received requests. Not all of these requests are for particular services. For example, some are for attributes that a service should contain; some are for a service to operate in a particular manner. As a result, some ONA services offered meet a number of network capability requests, while some requests are met by a number of ONA services. There is not a one-for-one relationship between network capability requests and ONA services. In addition, some ONA services may be offered by some regional companies as both a BSE and a CNS, depending on the line that the service is applied to.

The following appendix shows the relationship between each of the requested network capabilities, other requested network capabilities and ONA services. The ONA services listed use the Uniform Names developed by the regional companies and contributed to the IILC issue 006 ONA Services User Guide Task Group.

Following this Appendix A is a summary table (Appendix B) arranged to be similar to Appendix E of the FCC's December 22, 1988 Memorandum Opinion and Order.

Please note – recently, various BOCs have completed, or are in the process of completing, orporate mergers. For Appendix A and Appendix B of BOC ONA Special Report #5, the old company names will continue to be used (for example, Bell Atlantic and NYNEX are listed separately, rather than being combined under the Verizon name; Southwestern Belland Pacific Bell and Ameritech and BellSouth are listed separately, rather than being combined under the AT&T name).

#### 1. Call Forwarding Busy Line/Don't Answer

This is a request for a service. It is being met by some regional companies by offering thefollowing ONA services:

- Call Forwarding Busy Line Intraswitch
- Call Forwarding Busy Line Interswitch
- Call Forwarding Don't Answer Intraswitch
- · Call Forwarding Don't Answer Interswitch

#### 2. Activation Of Call Forwarding Variable Without Call Completion

This is a request for an attribute of service. It is being met by some regional companies by offering the following ONA service:

Call Forwarding - Variable - Activation Without Courtesy Call

#### 3. Call Forward Don't Answer Interoffice

This request relates to request number 1. It is being met by offering the following ONA service:

Call Forwarding - Don't Answer Interswitch

#### 4. Multiple Calls Forwarded To DID Interoffice

This is a request for a particular application of a service. It is being met by some regional companies by offering the following service:

Call Forwarding - Multiple Simultaneous Calls Interswitch

#### 5. Call Forwarding With Status Information To Answering Bureau

This request is for a particular application of a service. It is being met by some regional companies by offering the following service:

- Message Desk (SMDI)
- Message Desk (SMDI) Expanded

#### 6. Activation of Call Forwarding Variable With Call Completion

This request is for a service. It is being met by offering the following service:

Call Forwarding - Variable

#### 7. Call Forwarding With Call Screening.

This is a request for a service. It is being met by some regional companies by offering the following ONA service:

Selective Call Forwarding

#### 8. Call Forwarding With Call Waiting

This is a request for two services to interact in a particular manner. It is met by some regional companies by offering the following ONA service:

Call Forwarding Don't Answer After Call Waiting (CFDA After CW)

#### 9. Call Forwarding With Called and Calling Number

This is a request for a particular application of a service. It is related to request number 5. It is being met by some regional companies by offering the following ONA services:

- · Calling Directory Number Delivery via BCLID
- Message Desk (SMDI)
- Message Desk (SMDI) Expanded

#### 10. Call Forward Don't Answer With Variable Ring Counts

This is a request for a service to operate in a particular manner. It is related to request number 1. It is being met by offering the following ONA services:

- Call Forwarding Don't Answer Interswitch
- Call Forwarding Don't Answer Intraswitch
- Call Forwarding With Variable Rings

#### 11. Customer Control of CFBL/CFDA

This is a request for a service. It is being met by some regional companies by offering the following ONA services:

- Call Forwarding Busy Line or Don't Answer Customer Control of Activation/Deactivation
- Call Forwarding Busy Line or Don't Answer Customer Control of Forward To Number

#### 12. Monitor & Barge In

This is a request for a service that requires development.

#### 13. SMDI

This is a request for a particular interface. It is related to requests number 5 and 9. It is being met by some regional companies by offering the following ONA service:

- Message Desk (SMDI)
- Mossage Desk (SMDI) Expanded

#### 14. SMDI With Automatic Ringback

This is a request for a service to operate in a particular manner. Based on the findings in ILC Issue #030 (Message Waiting Indication: Ringback After Busy Transfer), it is being met by some regional companies by offering the following combination of services:

- Distinctive Ringing Terminating Screening (client needs to have a second telephone number)
- Call Forwarding Variable (or Call Forwarding Busy Line/Don't Answer)

#### 3-Way Call Transfer

This is a request for a service. It is being met by some regional companies by offering the following ONA service:

Three Way Call Transfer

#### Speed Calling

This is a request for a service. It is being met by offering the following ONA service:

Speed Calling

#### 17. Remote Activation of Custom Calling Services

This is a general request for a number of services to operate in a particular manner. A specific application of this operation relates to request number 11. It is being met by some regional companies by offering the following ONA services:

Call Forwarding - Variable - Remote Activation/Control

#### 18. ESP Notification Of ESP's Client Or BOC Control Action

This is a request for a service to operate in a particular manner. This operation requires development.

#### 19. Call Distribution Functions Including Queue

This is a request for a service. It is being met by some regional companies by offering the following ONA services:

- Multiline Hunt Group
- Multiline Hunt Group C. O. Announcements
- Multiline Hunt Group Uniform Call Distribution Line Hunting
- Multiline Hunt Group UCD With Queuing
- DID Trunk Queuing

#### 20. Derived Local Channels

This is a request for service to be delivered using a particular technology. It is being met by some regional companies by offering the following ONA services:

- Data Over Voice (DOV) Service
- Verify Integrity of Subscriber Lines
- · Derived Channels (Monitoring)
- Category 3, Type J Dedicated Derived Channel BSA

#### 21. Screening

This is a general request for a network capability. Specific applications of this capability relate to request number 7. It is being met by some regional companies by offering the following ONA services:

- Selective Call Forwarding
- Selective Call Rejection

#### 22. Calling Directory Number Delivery

This is a request for a service. It is being met by some regional companies by offering the following ONA services:

- Calling Directory Number Delivery via BCLID
- Calling Directory Number Delivery via ICLID
- Message Desk (SMDI)
- Message Desk (SMDI) Expanded

#### 23. Delivery of Dialed Number

This is a request for a service. It is being met or partially met by some regional companies by offering the following ONA services:

- Called Directory Number Delivery via DID
- Called Directory Number Delivery via 900NXX

#### 24. Uniform Abbreviated Dialing

This is a request for a service. It is being met or partially met by some regional companies by offering the following service:

Shared Speed Calling

#### 25. Multiline Hunt Groups

This is a request for a service. It is being met by some regional companies by offering the following ONA services:

- Multiline Hunt Group
- Multiline Hunt Group Individual Access To Each Port In Hunt Group
- Multiline Hunt Group Uniform Call Distribution Line Hunting
- Multiline Hunt Group UCD With Queuing

#### 26. Unlimited Size Hunt Groups

This is a request for an attribute of a service. It is related to request number 25. It is being met by some regional companies by offering the following ONA services:

- Multiline Hunt Group
- Multiline Hunt Group Overflow
- Multiline Hunt Group Uniform Call Distribution Line Hunting
- Multiline Hunt Group UCD With Queuing

#### 27. Individual Access To Each Port In A Hunt Group

This is a request for service. It is related to request numbers 25 and 26. It is being met by offering the following ONA service:

Multiline Hunt Group - Individual Access To Each Port In Hunt Group

#### 28. CLASS Features Interoffice

This is a general request for a group of services to operate in a particular manner. It is being met by some regional companies by offering the following ONA services:

- Automatic Callback
- Automatic Recall
- Customer Originated Trace
- Distinctive Ringing
- Selective Call Forwarding
- Selective Call Rejection
- Calling Directory Number Delivery via ICLID
- Calling Directory Number Delivery via BCLID

#### 29. Suppressed Ringing

This is a request for a service. This service requires development.

#### 30. Trunk Side Access

This is a request for a service. It is being met by offering the following ONA service:

Category 1, Type B - Circuit Switched Trunk BSA

It is also being met by some regional companies by offering the following service:

Trunk Side Access BSA

#### 31. Trunk Side Connection With Power Ringing

This is a request for a service. This service requires development.

#### 32. Access to Extended Superframe Data Channel

This is a request for a particular application of a service. It is being met by some regional companies by offering the following ONA services:

- Category 3, Type G Dedicated High Capacity Digital (1.544 Mbps) BSA.
- Extended Superframe Conditioning

#### 33. Trunk Group Make Busy

This is a request for a service. It is being met by offering the following ONA service:

Make Busy Key

#### 34. Message Waiting Indication

This is a request for a service. It is being met by some regional companies by offering the following ONA services:

- Message Waiting Indicator Activation (Audible)
- Message Waiting Indicator Activation (Audible) Expanded
- Message Waiting Indicator Activation (Visual)
- Message Waiting Indicator Activation (Visual) Expanded
- Message Waiting Indicator Packet Access
- . Message Waiting Indicator (MWI) Ability To Receive Audible Message Waiting
- Message Waiting Indicator (MWI) Ability To Receive Visual Message Waiting

#### 35. Answer Supervision (Connect/Disconnect Indications) - Line Side

This is a request for a service. It is being met by some regional companies by offering the following ONA service:

- Answer Supervision With A Line Side Interface
- Cut Off On Disconnect

#### 36. Night Transfer

This is a request for a particular application of a service. It is related to request number 33. It is being met by offering the following ONA service:

Make Busy Key

#### 37. Faster Signaling On DID

This is a request for a particular type of signaling on a service. It is related to request number 23. It is being met by some regional companies by offering the following ONA services:

- Called Directory Number Delivery via DID
- Category 1, Type B Circuit Switched Trunk BSA
- Faster Signaling On DID

#### 38. Post Dialing DTMF Signaling From Paystations

This is a request for a service to operate in a particular manner. Existing coin lines operate in the manner requested. It is being met by some regional companies by offering the following service:

Coin Phone With Post Dialing Tone Capability

#### 39. Selected Number Reverse Billing Rate Period Specific

This is a request for a service. It is being met or partially met by some regional companies by offering the following ONA services:

- Reverse Billing On Circuit Switched Access
- Reverse Charge Acceptance Packet
- Uniform 7 Digit Access Number Remote Call Forwarding
- Coin Phone With Post Dialing Tone Capability

#### 40. Single Number Access For Multiple Locations

This is a request for a service. It is being met or partially met by some regional companies by offering the following ONA services:

- Uniform 7 Digit Access Number Remote Call Forwarding
- Uniform 7 Digit Access Number via Overlay Networking
- Category 1, Type A Circuit Switched Line BSA
- Category 1, Type B Circuit Switched Trunk BSA
- Single Number Access for Multiple Locations

#### 41. Ability To Notify Or Interrupt A Customer

This request is for a particular application of services. It is related to request number 34. It is being met by some regional companies by offering the following ONA services:

- Message Waiting Indicator Activation (Audible)
- Message Waiting Indicator Activation (Audible) Expanded
- · Message Waiting Indicator Activation (Visual)
- Message Waiting Indicator Activation (Visual) Expanded
- Mossage Waiting Indicator Packet Access
- Message Waiting Indicator (MWI) Ability To Receive Audible Message Waiting
- Message Waiting Indicator (MWI) Ability To Receive Visual Message Waiting
- Distinctive Ringing

#### 42. Ability To Return Held Call To Customer

This is a request for a service that requires development.

#### 43. Interconnection For Specialized Terminal Equipment

This is a general request that cannot be met by a particular service. It is being met by some regional companies by the various basic serving arrangements (BSAs). If there are particular applications that are not compatible with the BSAs, they must be specifically identified.

#### 44. Provision For Sharing An ESP Client Among ESPs

This is a request for a particular application of a service. The requested service requires development.

#### 45. Custom Service Areas

This is a request for a particular application of a service. It is related to request number 30. It is being met or partially met by some regional companies by offering an alternative of the following ONA service:

- Category 1, Type A Circuit Switched Line BSA.
- Category 1, Type B Circuit Switched Trunk BSA.

It is also being met or partially met by some regional companies by offering the following ONA service:

Tandem Routing

#### 46. Statistical Multiplexer at Central Office

This is a request for a particular equipment configuration to support a service. It is being met or partially met by some regional companies by offering the following ONA services:

- Category 2, Type A X.25 Packet Switched BSA
- Category 2, Type B X.75 Packet Switched BSA
- Statistical Multiplexer

#### 47. X.25 Interface To Packet Switch

This is a request for a service. It is being met by offering the following ONA service:

Category 2, Type A - X.25 Packet Switched BSA

#### 48. X.75 Interface To Packet Switch

This is a request for a service. It is being met by offering the following ONA service:

Category 2, Type B - X.75 Packet Switched BSA

#### 49. Access To Data Services

This is a request for a particular application of a service. It is being met or partially met by some regional companies by offering the following ONA services:

- Hot Line
- Warm Line
- Preselection for Data Services

#### 50. B-Channel Switched and Dedicated Access

This is a request for a service that requires development.

#### 51. D-Channel Data Delivered on B-Channel

This is a request for a service that requires development.

#### 52. Multiple D-Channels on B-Channel

This is a request for a service that requires development.

#### 53. ESP Access to D-Channel Signaling

This is a request for a service that requires development.

#### 54. Feature Node Service Interface (FN/SI)

This is a request for a particular interface that requires development.

#### 55. Service Control Point (SCP) Databases

This is a request for a service that requires development.

#### 56. Term Sets and Inband Signaling on Analog Channels

This is a request for a particular interface. It is being met or partially met by some regional companies by offering the following ONA service:

Category 3, Type C - Dedicated Voice Grade BSA

#### 57. Access to Future Intelligent Functions of ISDN

This is a general request for access to services that may be developed in the future.

#### 58. Compatibility to Existing Terminals

This is a general request that cannot be met by a particular service. It is being met by some regional companies by the various basic serving arrangements (BSAs). If there are particular applications that are not compatible with the BSAs, they must be specifically identified.

#### 59. Mapping ANI to User ID (X.75)

This is a request for a service that requires development.

#### 60. Calls Accepted With BOC's DNIC or ESP's DNIC

This is a request for an attribute of a service. It is being met or partially met by some regional companies by offering the following ONA service:

- Category 2, Type A X.25 Packet Switched BSA
- Category 2, Type B X.75 Packet Switched BSA

#### 61. Equal Access to Exchange Network Switching and Transmission

This is a general request that cannot be met with a particular service. It is being met by various BSAs.

If there are particular applications that are not being met by the services offered by the BSAs, they must be specifically identified.

#### 62. Peak Traffic Handling Within Exchange Network

This is a request for a network management capability that requires development.

#### 63. ESP Defined Dynamic Routing

This is a request for a particular application of a service. It is related to requests number 25 and 33. It is being met or partially met by some regional companies by offering the following ONA services:

- Alternate Routing
- Multiline Hunt Group
- Make Busy Key
- Network Reconfiguration

#### 64. Common Channel Signaling Access

This is a request for a particular type of signaling interface associated with various services. It is being met or partially met by some regional companies by offering the following ONA service:

- Category 1, Type B Circuit Switched Trunk BSA
- Category 4 Dedicated Network Access Link BSA

#### 65. Dynamic Allocation of Transmission Capacity

This is a request for a service. It is being met or partially met by some regional companies by offering the following ONA service:

· Network Reconfiguration

#### 66. Provision of BOC network status information.

This is a request for a service that requires development.

#### 67. Real Time Access To Exchange Network Testing Facilities

This is a request for a network management capability. It is being met or partially met by some regional companies by offering the following ONA service:

Access To Operations Support Systems Information

#### 68. Derived Channels That Comply With UL and NFPA

This is a request for a service. It is being met by some regional companies by offering the following ONA services:

- Verify Integrity of Subscriber Lines
- Derived Channels (Monitoring)
- Category 3, Type 1 Dedicated Alert Transport BSA

#### 69. One Way Alarm Transmission

This is a request for a service. It is being met or partially met by some regional companies by offering the following ONA services:

- Category 3, Type I Dedicated Alert Transport BSA
- Derived Channels (Monitoring)
- Category I, Type A Circuit Switched Line BSA
- Category I, Type B Circuit Switched Trunk BSA

#### 70. Derived Channels Compatible with ISDN

This is a request for two services to interact in a compatible manner. This interaction requires development.

#### 71. Digital Private Lines (DDS)

This is a request for a service. It is being met by some regional companies by offering the following ONA services:

- Category 3, Type F Dedicated Digital (< 64 kbps) BSA.</li>
- Category 3, Type G Dedicated High Capacity Digital (1.544 Mbps) BSA
- Multiplexing Digital

#### 72. Diagnostic Channel on DS0 and Subrate Lines

This is a request for a service. It is being met by offering the followingservice:

Secondary Channel Capability

#### 73. Error Detection / Error Correction

This is a request for an attribute of a service. It is related to requests 47 and 48. It is being met or partially met by some regional companies by offering the following services:

- Category 2, Type A X.25 Packet Switched BSA
- Category 2, Type B X.75 Packet Switched BSA

#### 74. Ability to Detect Breaks in Telco Line Within 60 Seconds

This is a request for a particular application of a service. It is related to request number 68. It is being met or partially met by some regional companies by offering the following ONA services:

- Verify Integrity of Subscriber Lines
- Derived Channels (Monitoring)
- Category 3, Type I Dedicated Alert Transport BSA

#### 75. Broadband Link(s) for Video Transmission

This is a request for a service. It is being met by some regional companies by offering the following ONA services:

- Category 3, Type E Dedicated Video BSA
- Category 3, Type H Dedicated High Capacity Digital (>1.544 Mbps) BSA

#### 76. Ability To Reconfigure Networks

This is a request for a service. It is being met by offering the following ONA service:

Network Reconfiguration

#### 77. Route Diversity

This is a request for an attribute of a service. It is being mer or partially met by some regional companies by offering the following ONA services:

- Category 1 Circuit Switched BSA
- Category 3 Dedicated Basic Serving Arrangement
- Category 4 Dedicated Network Access Link BSA
- Automatic Protection Switching
- · Network Reconfiguration
- Route Diversity

#### 78. Automatic Protection Switching

This is a request for a service. It is being met by offering the following ONA service:

Automatic Protection Switching

#### 79. Private Line Conditioning

This is a request for a service. It is being met by offering the following ONA service:

Conditioning

#### 80. Multiple Monitors per Loop

This is a request for a particular application of a service. It is being met or partially met by some regional companies by offering the following services:

- Category 3, Type I Dedicated Alert Transport BSA
- Derived Channels (Monitoring)

#### 81. Clear Access To Data Portion of Derived Channels

This is a request for an attribute of a service. It is being met by some regional companies by offering the following services:

- Category 3, Type J Dedicated Derived Channel BSA
- Category 1, Type A Circuit Switched Line BSA (Data up to 19.2 kbps Alternative)

#### 82. Distinctive Ringing

This is a request for a service. It is being met by some regional companies by offering the following services:

- Distinctive Ringing
- Distinctive Ringing Terminating Screening

#### 83. 4-Wire Interconnection/Switching

This is a request for a particular type of interface. It is being met by or partially met by some regional companies by offering the following ONA services:

- Category 1, Type A Circuit Switched Line BSA
- Category 1, Type B Circuit Switched Trunk BSA

#### 84. Access to Clear Channel Transmission

This is a request for an attribute of a service. It is being met by some regional companies by offering the following ONA services:

- Category 3, Type G Dedicated High Capacity Digital (1.544 Mbps) BSA
- Access To Clear Channel Transmission
- Category 3, Type K Dedicated Digital (64 kbps) BSA

#### 85. User Initiated Diagnostics

This is a general request for a group of services. These services need to be better defined and then developed. However, this is being met or partially met by some regional companies by offering the following service:

Access To Operations Support Systems Information

#### 86. Pass Through Diagnostics To User

This is a general request for service. It is being met or partially met by some regional companies by offering the following service:

Access To Operations Support Systems Information

#### 87. Inband Signaling

This is a request for a particular type of signaling interface. It is related to request number \$6. It is being met or partially met by some regional companies by offering the following ONA service:

Category 3, Type C - Dedicated Voice Grade BSA

#### 88. Bridging

This is a request for a service. It is being met by offering the following ONA service:

Bridging

#### 89. Monthly Detailed Recording

This is a request for a service. It is being met or partially met by some regional companies by offering the following services:

- Call Detail Recording Reports
- Call Detail Recording Reports (Packet)

#### 90. Automatic Disablement Of Call Waiting Tone During Dial-Up Data Call

This is a request for a service. It is being met or partially met by offering the following ONA service:

Call Waiting - Cancel

#### 91. Enable / Disable Network DTMF Signaling

This is a request for a service that requires development.

#### 92. Passive In-Band DTMF Tone Transmission

This is a request for a service that requires development.

#### 93. Extend DTMF Tone Set

This is a request for a service that requires development.

#### 94. Tone to Digital Translation

This is a request for a service to operate in a particular manner. This requires development.

#### 95. Multiple Call Forwarding

This is a request for a service to operate in a particular manner. It is related to requests number 1 and 4. It is being met by some regional companies by offering the following ONA services:

· Call Forwarding - Multiple Simultaneous Calls Interswitch

#### 96. Virtual Dial Tone

This is a request for a particular attribute of a service. It is related to requests number 47 and 48. It is being met by some regional companies by offering the following services:

- Category 2, Type A X.25 Packet Switched BSA
- Category 2, Type B X.75 Packet Switched BSA

#### 97. Remote Access to User Programmable Functions (Packet)

This is a request for a service that requires development.

#### 98. Remote Speed Call Menu Builder (Packet)

This is a request for a service that requires development.

#### 99. Speed Call Monu Builder (Packet)

This is a request for a service that requires development.

#### 100. Remote Speed Call Menu Access Translator (Packet)

This is a request for a service. There are no service offerings under ONA due to waiver granted for service previously offered.

#### 101. Carrier Selection On Reverse Charge

This is a request for a service. It is being met by some regional companies by offering the following ONA service:

Carrier Selection on Reverse Charge

It is also being met or partially met by some regional companies by offering an alternative of the following ONA services:

- Category 1, Type A Circuit Switched Line BSA
- Category 1, Type B Circuit Switched Trunk BSA (800 dialing plan alternative)

#### 102. Network Control By Customer From Customer Premises

This is a request for service that requires development.

#### 103. Real Time Traffic Usage Data

This is a general request for a service. It is being met or partially met by some regional companies by offering the following service:

Access To Operations Support Systems Information

#### 104. Central Office Announcements

This is a request for an attribute of a service. It may be related to request number 25. It is being met or partially met by some regional companies by offering the following ONA services:

- Multiline Hunt Group
- Multiline Hunt Group C. O. Announcements
- Multiline Hunt Group Uniform Call Distribution Line Hunting
- Multiline Hunt Group UCD with Queuing

#### 105. Name & Address of the Calling Party

This is a general request for a service. It is being met or partially met by some regional companies by offering the following service:

Name of Calling Party

#### 106. Suppression of Audible Click on Call Forwarding (Interoffice)

This is a request for an attribute of a service that requires development.

#### 107. Billing Number Delivery

This is a request for a service. It is being met by some regional companies by offering the following ONA services:

- Calling Billing Number Delivery FG B Protocol
- Calling Billing Number Delivery FG D Protocol

#### 108. Privacy (Classes Of Non-Published Service)

This is a request for a service that requires development.

#### 109. Delivery Of Traveling Class Mark

This is a request for an attribute of a service. It is related to request number 107. It is being met or partially met by some regional companies by offering the following ONA services:

- Calling Billing Number Delivery FG D Protocol
- Flexible ANI Information Digits

#### 110. User ID Associated With Calling Number And/Or Service ID Code

This is a request for a service that requires development.

#### 111. Warm Line

This is a request for a service. It is being met by some regional companies by offering the following ONA service:

Warm Line

#### 112. Closed User Group (Packet)

This is a request for a service. It is being met by offering the following ONA service:

Closed User Groups - Packet

#### 113. Fast Select (Packet)

This is a request for a service. It is being met by some regional companies by offering the following ONA services:

- Fast Select Acceptance Packet
- Fast Select Request Packet

#### 114. Hunt Group (Packet)

This is a request for a service. It is being met by some regional companies by offering the following ONA service:

Hunt Groups - Packet

#### 115. Call Redirection (Packet)

This is a request for a service. It is being met by some regional companies by offering the following ONA service:

· Call Redirection - Packet

#### 116. Direct Call (Packet)

This is a request for a service. It is being met by some regional companies by offering the following ONA service:

Direct Call - Packet

#### 117. Programmed Default Call Forwarding

This is a request for a service that requires development.

#### 118. Restriction of Outgoing Calls (Packet)

This is a request for a service that requires development.

# Appendix B: Individual Regional Company Responses to the 118 ESP Requests

ESP REQUEST FOR NETWORK CAPABILITY	AM	BA	BS	NX	PB	SW	Owest
	070 a feet - 3002.	X			177		•
L. Call Forwarding Busy Line/Don't Answer	CNS	CNS	CNS	CNS	CNS	CNS	CNS
2. Activation Of CF Variable Without Cull Completion	CNS	CNS	CN\$	CNS	CNS		CNS
3. Call Forward Don't Answer Interoffice	CNS	CNS	CNS	CNS	CNS	CNS	CNS
4. Multiple Calls Forwarded To DID Intereffice	CNS	CNS	CNS	CNS	CNS	CNS	CNS
Call Forwarding With Status Information To Answering Bureau	BSE	BSE	BSE	BSE	BSE		BSE
6. Activation of Call Forwarding Variable With Call Completion	CNS	CNS	CNS	CNS	CNS	CNS	CNS
7. Call Forwarding With Call Screening		CNS	CNS		CNS/ BSE	CNS	CNS
8. Call Forwarding With Call Waiting			CNS	CNS	CNS		CNS
9. Call Forwarding With Called and Calling Number	BSE	BSE	BSE	BSE	BSE		BSE
10. Call Forward Don't Answer With Variable Ring Counts	CNS	CNS	CNS	CNS	CNS	CNS	CNS
11. Customer Control of CFBL/CFDA	CNS		CNS	CNS	CNS		CNS
12. Monitor & Barge In							
I3. SMDI	BSE	BSE	BSE	BSE	BSE		BSE
14. SMDI With Automatic Ringback	<del>                                     </del>						CNS
15. 3-Way Call Transfer	BSE	BSE	BSE/ CNS	BSE	BSE		BSE
16. Speed Calling	CNS	CNS	CNS	CNS	CN\$	CNS	CNS
17. Remote Activation of Custom Calling Services	CNS	CNS	CNS	CNS	CNS	CNS	CNS
18. ESP Notification Of ESP's Client Or BOC Control Action							_
19. Call Distribution Functions Including Queue	BSE	BSE	BSE	BSE	BSE	BSE	BSE
20. Derived Local Channels	CNS/ BSE	CNS/ BSA	CNS	BSA	CNS/ BSE	CNS/ BSA	BSA
21. Screening	CNS	CNS	CNS		CNS/ BSE	CNS	CNS
22. Calling Directory Number Delivery	BSE	BSE	BSE/ CNS	BSE/ CNS	BSE	CNS	BSE
23. Delivery of Dialed Number	BSE	BSE	BSI2 CNS	BSE/ CNS	BSE	BSA	BSE
24. Uniform Abbreviated Dialing		CNS	4.14.5	CIAD	CNS		CNS
25. Multiline Hunt Groups	BSE	BSE	BSE/	BSE	BSE	BSE	BSE
26 Unlimited Size Hunt Groups	BSE	BSE	BSE/	BSE	BSE	BSE	BSE
	1		CNS		I	1	I

ESP REQUEST FOR NETWORK CAPABILITY	AM	BA	BS	NX	РВ	SW	Qwest
28. CUASS Features Interoffice	CNS	CNS	CNS/ BSE	CNS	CNS/ BSE	CNS	CNS/ BSE
29. Suppressed Ringing							
30. Trunk Side Access	BSA						
31. Trunk Side Connection With Power Ringing							
32. Access to Extended Superframe Data Channel	BSE	BSA	BSA	BSA	BSA	BSE	BSA
33. Trunk Group Make Busy	BSE	BSE	BSE/ CNS	BSE	BSE	BSE	BSE
34. Message Waiting Indication	BSE/ CNS	BSE/ CNS	BSE/	BSE/ CNS	BSE/	BSE/	RS:// CNS
35. Answer Supervision (Connect/Disconnect Indications)- Line	BSE	BSE	CNS BSE	CNS	CNS BSE	CNS	BSE
36. Night Transfer	BSE	BSE	BSE/ CNS	BSE/ CNS	BSE	BSG	BSE
37. Faster Signaling On DID		BSE/ CNS	BSE/ CNS	BSE/ CNS	BSE	BSA	BSA
38. Post Dialing DTMF Signaling From Paystations	YES	YES	BSA	CNS	YES	CNS	BSA
39. Selected Number Reverse Billing Rate Period Specific	BSE	BSE			BSE	BSE	BSE
40. Single Number Access For Multiple Locations		BSE	CNS				BSA
41. Ability To Notify Or Interrupt A Customer	BSE/ CNS	BSE/ CNS	BSE	BSE/ CNS	BSE/ CNS	BSE/ CNS	BSE/ CNS
42. Ability To Return Held Call To Customer	CIND	CIVO		C143	CIVIS	Cito	1,11,5
43. Interconnection For Specialized Terminal Equipment	BSA						
44. Provision For Sharing An ESP Client Among ESPs							
45. Custom Service Areas	BSA	BSE	BSE	BSA	BSA		BSE
46. Statistical Multiplexer at Central Office	BSA	BSA/ BSE			BSA	BSA	BSA
47 X.25 Interface To Packet Switch	BSA						
48. X.75 Interface To Packet Switch	BSA	BSA	BSA	BSA	BSA	BSA	B\$A
49. Access To Data Services	CNS	CNS/ BSE	CNS	BSE/ CNS	CNS/ BSE	CNS	CNS
50. B-Channel Switched and Dedicated Access		050		C14.5	0.00		
51. D-Channel Data Delivered on B-Channel							
52. Multiple O-Channels on B-Channel							
53. ESP Access to D-Channel Signaling							
54. Feature Node Service Interface (FN/SI)				_			_

ESP REQUEST FOR NETWORK CAPABILITY	AM	BA	BS	NX	PB	SW	Qwest
55 Service Control Point (SCP) Databases							
56. Term Sets and Inband Signaling on Analog Channels	B\$A	BSA	BSA	BSA	BSA	BSA	BSA
57. Access to Future Intelligent Functions of ISDN							
58 Compatibility to Existing Terminals	BSA	BSA	BSA	BSA	BSA	BSA	BSA
59. Mapping ANI to User ID (X.75)							
60. Calls Accepted With BOC's DNIC or ESP's DNIC	BSA	BSA			BSA	BSA	BSA
61. Equal Access to Exchange Ntwk Switching and Transmission	BSA	BSA	BSA	BSA	BSA	BSA	BSA
62 Peak Traffic Handling Within Exchange Network							
63. ESP Defined Dynamic Routing	BSE	BSE	BSE/ CNS	BSE	BSE	BSE	BSE
66. Common Channel Signaling Access	BSA			BSA	BSA	-	BSA
65. Dynamic Allocation of Transmission Capacity			BSE/ CNS				
66. Provision of BOC Network Status Information				-			
67. Real Time Access To Exchange Network Testing Facilities			BSE/ CNS				- 250
68. Derived Channels That Comply With UL and NFPA	CNS/ BSE	CNS	BSA	CNS	BSE/ CNS		
69. One Way Alarm Transmission	CNS	BSA/ CNS	BSA	BSA	BSA	BSA	
70. Derived Channels Compatible with ISDN		Citis					
71. Digital Private Lines (DDS)	BSA	BSA	BSA	BSA	BSA	BSA	BSA
72. Diagnostic Channel on DS0 and Subrate Lines	BSE	BSE	BSE/ CNS	BSE	BSE	BSE	BSE
73. Error Detection / Error Correction	BSA	BSA	BSA	BSA	BSA	BSA	BSA
74. Ability to Detect Breaks in Telco Line Within 60 Seconds	CNS/ BSE	CNS/ BSA		BSA	CNS/ BSE	-	
75. Broadband Link(s) for Video Transmission	HSA	BSA	BSA	BSA	BSA	BSA	BSA
76. Ability To Reconfigure Networks	BSE	BSE	BSE/ CNS	BSE	BSE	BSE	BSE
77. Route Diversity	BSA/ BSE	BSA	BSE/ CNS	BSE	BSA	BSE	BSE
78. Automatic Protection Switching	BSE	BSE	BSE/ CNS	BSE	BSE	BSE	BSE
79. Private Line Conditioning	BSE	BSE	BSE/ CNS	BSE	BSE	BSE	BSE
80. Multiple Monitors per Loop	BSE/ CNS		6.1903	CNS	CNS		
81. Clear Access To Data Portion of Derived Channels	BSA	BSA	BSA	BSA	BSA		BSA
82. Distinctive Ringing	CNS	CNS	CNS		CNS	CNS	CNS

ESP REQUEST FOR NETWORK CAPABILITY	AM	βA	BS	NX	PB	SW	Qwesi
83. 4-Wire Interconnection/Switching	BSA	BSA		BSA	BSA	BSA	BSA
84. Access to Clear Channel Transmission	BSE/ BSA	BSE	BSA	BSE	BSE	BSE	BSE
85. User Initiated Diagnostics		2 9	BSE/ CNS				
86 Pass Through Diagnostics To User	1		BSE/ CNS				
87. Inband Signaling	BSA	BSA	BSA	BSA	BSA	BSA	BSA
88. Bridging	BSE	BSE	BSE/ CNS	BSE	BSE	BSE	BSE
89. Monthly Detailed Recording		BSE	BSE	BSE/ CNS		AN/ BSE	BSE
90. Auto Disable Of Call Wing Tone During Dial-Up Data Call	CNS	CNS	CNS	CNS	CNS	CNS	CNS
91. Enable / Disable Network DTMF Signaling							
92. Passive In-Band DTMF Tone Transmission							
93. Extend DTMF Tone Set				_			
94. Tone to Digital Translation							
95. Multiple Call Forwarding	CNS	CNS	CNS	CNS	CNS	CNS	CNS
96. Virtual Dial Tone	BSA	BSA	BSA	BSA	BSA	BSA	BSA
97 Remote Access to User Programmable Functions (Packet)							
98 Remote Speed Call Menu Builder (Packet)							
99 Speed Call Menu Builder (Packet)							
100. Remote Speed Call Menu Access Translator (Packet)							
101. Carrier Selection on Reverse Charge	BSA	BSE	BSA	BSE	BSE		BSA
102. Network Control By Customer From Customer Premises							
103 Real Time Traffic Usage Data			BSE/ CNS	-			
104. Central Office Announcements	BSE	BSE	BSE	BSE	BSE	BSE	BSE
105 Name & Address of the Calling Party			CNS	-			
106. Suppression of Audible Click on Call Fwding Interoffice							-
107. Billing Number Delivery	BSE	BSE	BSE	BSE	BSE	BSE	BSE
108. Privacy (Classes Of Non-Published Service)							
109. Delivery Of Traveling Class Mark	BSE	BSE	BSE	BSE	BSE	BSE	BSE
110. User Nmbr Assoc, With Calling Nmbr and/or Svc .D Code							

ESP REQUEST FOR NETWORK CAPABILITY	AM	BA	BS	NX	PB	SW	Qwest
111 Warm Line	CNS	CNS	CNS	BSE/ CNS	CNS	CNS	CNS
112. Closed User Group (Packet)	BSE/ CNS	BSE/ CNS	BSE/ CNS	BSE/ CNS	BSE	BSE	BSE
113. Fast Select (Packet)	BSE/ CNS	BSE/ CNS	BSE/ CNS	BSE/ CNS	BSE/ CNS	BSE	BSE
114. Hunt Group (Packet)	BSE	BSE	BSE/ CNS	BSE/ CNS	BSE	BSE	BSE
115. Call Redirection (Packet)	BSE	BSC	BSE/ CNS	BSE/ CNS	BSE	BSE	BSE
116. Direct Call (Packet)	CNS	CNS	CNS/ BSE	BSE/ CNS	CNS	CNS	CNS
117. Programmed Default Call Forwarding							
118 Restriction of Outgoing Calls (Packet)							

 $\Delta N = ancellary service$ 

Please note – recently, various BOCs have completed, or are in the process of completing, corporate mergers. For Appendix Nand Appendix 8 of ONA Special Report \*\*5, the old company names will continue to be used (for example, Bell Atlantic and NYNEX are listed separately, rather than being combined under the Verizon name; Southwestern Bell and Pacific Bell and Ameritech and Bell South are listed separately, rather than being combined under the Al&T name).

DOCKET NO. 93-256 88-2 96-128

#### DOCUMENT OFF-LINE

This page has been substituted for one of the following: o This document is confidential (NOT FOR PUBLIC INSPECTION)

 An oversize page or document (such as a map) which was too large to be scanned into the ECFS system.

o Microfilm, microform, certain photographs of videntage.

o Other materials which, for one reason or another, could not be scanned into the ECFS system.

The actual document, pege(s) or materials may be reviewed (EXCLUDING CONFIDENTIAL DOCUMENTS) by contacting an Information Technician at the FCC Reference Information Centers) at 445 12<sup>th</sup> Street, SW, Washington, DC, Room CY-A257. Please note the applicable docket or rulemaking number, document type and any other relevant information about the document in order to ensure speedy retrieval by the Information Technician

2 D18KS